

Pig grain leather



FBO-PA503KT

Pig grain leather driver glove
straight cuff
10doz 17/16kg
65x27X28cm 5700doz/20'



FBO-PA503RT

Pig grain leather driver glove
reinforced palm
10doz 15/14kg
65x28X28cm 5700doz/20'



FBO-88PASA

Pig grain full palm, stripe back
pasted cuff, half-lining
10doz 24/23kg
27x27X74cm 5200doz/20'



FBO-PA2208G

Pig grain full palm, green back
rubberized cuff, half-lining
10doz 17/16kg
70x28X34cm 4250doz/20'



FBO-PA505

Pig grain full palm, red back
rubberized cuff, half-lining
artificial cotton-lining
10doz 17/16kg
70x28X34cm 4250doz/20'



FBO-PA7230

Premium pig grain palm
elastic fabric cotton back
band adjustment cuff
10doz 15/14kg
52x27X27cm 7400doz/20'

Pig split leather



FBO-88PBSA

Pig split full palm, strip back
pasted cuff, half-lining
10 doz 24/23kgs
27x27x74cm 5200 doz/20'



FBO-PB503WT

Pig split driver gloves
keystone cuff
10doz 17/16kgs
65X27x28cm 5700doz/20'



FBO-SMT-38

Goat split leather
driver glove reinforced palm
lint-lining, band adj. cuff
10doz 17/16kgs
68x29x32cm 3340doz/20'

EN420/EN388/EN374/EN477

Cow grain leather



FBO-ZY41XX

Cow grain leather driver glove,
keystone cuff
yellow color
10doz 17/16kgs
65x27x32cm 5000 doz/20'



FBO-RC118

Cow grain leather driver glove
keystone cuff reinforced palm
gold color
10doz 17/16kgs
65x27x32cm 5000doz/20'



FBO-ZY41XXA

Cow grain leather driver glove,
band adj. cuff,
white color
10doz 17/16kgs
65x27x32cm 5000 doz/20'



FBO-ZY21XX

Cow grain full palm, yellow back
rubberized cuff, half-lining
with/without cotton lining
10doz 17/16kgs
70x28x36cm 4000doz/20'



FBO-CA607

Cow grain full palm, yellow back
rubberized cuff, half-lining
with/without cotton lining
gold color
10doz 17/16kgs
70x28x36cm 4000doz/20'



FBO-ZY21XXA

Cow grain full palm, fluo back
rubberized cuff, half-lining
with/without cotton lining
10doz 17/16kgs
70x28x36cm 4000doz/20'

Cow split leather



FBO-ZY61XXA

Cow split patch palm, stripe back
pasted cuff, half-lining
10doz 24/22kgs
27x27x74cm 5200doz/20'



FBO-ZY31XXB

Cow split full palm, red back
rubberized cuff, half-lining
10doz 24/22kgs
38x28x68cm 4000doz/20'



FBO-ZY61XXC

Cow split full palm, stripe back
pasted cuff, half-lining
10doz 24/22kgs
27x27x74cm 5200doz/20'

GLOVE

EN420/EN388/EN374/EN477



FBO-ZY31XXA

Cow split patch palm, yellow back
rubberized cuff, half-lining

10doz 24/22kgs
37x27x67cm 4200doz/20'



FBO-ZY31XXF

Cow split full palm
yellow stripe back
rubberized cuff, half-lining

10doz 24/22kgs
38x28x68cm 4000doz/20'



FBO-ZY31XXC

Cow split full palm, red back
rubberized cuff, half-lining
fluo back

10doz 24/22kgs
40x28x68cm 3700doz/20'



FBO-ZY31XXD

Cow split full palm, white back
rubberized cuff, half-lining

10doz 24/22kgs
38x28x68cm 4000doz/20'



FBO-ZY31XXE

Cow split full palm, yellow back
rubberized cuff, half-lining

10doz 24/22kgs
38x28x68cm 4000doz/20'



FBO-ZY51XXF

Cow split red reinforced palm
green back rubberized cuff
half-lining

10doz 24/22kgs
40x28x68cm 3700doz/20'



FBO-ZY51XXA

Cow split yellow reinforced palm
yellow back rubberized cuff
half-lining

10doz 24/22kgs
40x28x68cm 3700doz/20'



FBO-ZY51XXB

Cow split blue reinforced palm
white back rubberized cuff
half-lining

10doz 24/22kgs
40x28x68cm 3700doz/20'



FBO-ZY51XXC

Cow split green reinforced palm
stripe back rubberized cuff
half-lining

10doz 24/22kgs
40x28x68cm 3700doz/20'

EN420/EN388/EN374/EN477

Welding glove

Packing:

14" 5doz 19/18kgs 36x23x73cm 2380doz/20'

16" 5doz 20/19kgs 42x21x75cm 2150doz/20'

18" 5doz 28/27kgs 58X32X53cm 1425doz/20'



FBO-ZY12XXA

high quality red cow split leather
full knit lined,
W or W/O black brim
full back/two patch back



FBO-ZY12XXB

high quality red cow
split leather
full knit lined, red
reinforced palm
W or W/O black brim
full back/two patch back



FBO-ZY12XXC

high quality red cow
split leather
full knit lined, black
reinforced palm
W or W/O black brim
full back/two patch back



FBO-ZY12XXG

high quality blue cow
split leather full knit lined,
red reinforced palm
W or W/O black brim
full back/two patch back



FBO-ZY12XXH

high quality blue cow
split leather full knit lined,
yellow reinforced palm
W or W/O black brim
full back/two patch back



FBO-ZY12XXI

high quality blue cow
split leather full knit lined,
yellow big reinforced palm
W or W/O black brim
full back/two patch back



FBO-402G

Cow split leather
full knit lined
full back/two patch back



FBO-6082B

10.5"cow split leather
reinforced palm
unlined, two patch back
10doz 17/16 41x17x75cm
5400 doz/20'



FBO-SMT-117

Goat grain leather
full knit lined
cow split leather cuff
120pcs 30/28kgs
78x37x39cm 2400 doz/20'

Cotton glove



FBO-8001
Natural white
without pvc dot
400g-800g



FBO-8003
Natural white
one side pvc dot
400g-800g



FBO-8005
Natural white
two side pvc dot
400g-800g



FBO-8002
Bleached white
without pvc dot
400g-800g



FBO-8004
Bleached white
one side pvc dot
400g-800g



FBO-8006
Bleached white
two side pvc dot
400g-800g

25 doz 20/19 kg 56x26x58 9000doz/20'



FBO-8013
blue color
with our pvc dot
with one/two side pvc dot
500g-800g



FBO-106T2
Cotton drill gloves
with knit wrist
dyed white/red/blue cuff
6/7/8/10/12oz weight



FBO-366T3
Cotton drill gloves
with knit wrist,color cuff
with pvc dot
dyed white/red/blue cuff
6/7/8/10/12oz weight

EN420/EN388/EN374/EN477



FBO-366T6
Cotton drill gloves
with knit wrist,color cuff
with fluo pvc dot
dyed white/red/blue cuff
6/7/8/10/12oz weight



FBO-366T5
Cotton drill gloves
with knit wrist,color cuff
with fluo pvc dot
dyed white/red/blue cuff
6/7/8/10/12oz weight



FBO-306
Print flower cotton drill,
knit wrist,
6oz printing palm and back

PVC coat



FBO-GSP002
red/black pvc dipped,
knit wrist
A:T/C lining
B: interlock lining
10doz 16/15kgs
27x27x56cm 6900 doz/20'



FBO-GSP003
red pvc dipped,
smooth finish,long cuff,
A:T/C lining
B:interlock lining
27cm/30cm/35cm/40cm/45cm



FBO-313
Men's garden gloves,
5oz pvc dotted palm,
6oz dyed back and cuff
(green/orange/blue)

27cm:10doz 20/19kgs 28x28x58cm 6200 doz/20' 30cm:10doz 23/22kgs 31x56x28cm 5800 doz/20'
35cm:10doz 25/24kgs 37x60x28cm 4600 doz/20' 40cm:10doz 27/26kgs 41x56x28cm 4350 doz/20'
45cm:5 doz 18/17kgs 47x56x16cm 3350 doz/20'

Nitrile coat



FBO-N51
blue nitrile half coated,
safety cuff,
A:jersey lining
B:interlock lining



FBO-N01
blue nitrile full coated,
safety cuff,
A:jersey lining
B:interlock lining



FBO-N3F
yellow nitrile half coated,
knit wrist,
interlock lining

GLOVE

EN420/EN388/EN374/EN477



FBO-N52

blue nitrile half coated,
knit wrist,
A: jersey lining
B: interlock lining



FBO-N02

blue nitrile full coated,
knit wrist,
A: jersey lining
B: interlock lining

10doz 15/14 68x27x34 4500 doz/20'



FBO-A008

nitrile half coated,
knit wrist, open back
13s polyester/nylon lining
smooth surface



FBO-N1001

nitrile half coated,
knit wrist, open back
13s polyester/nylon lining
smooth surface



FBO-N1001A

nitrile half coated,
knit wrist, open back
13s polyester/nylon lining
smooth surface



FBO-A013

nitrile half coated,
knit wrist, open back
13s polyester/nylon lining
smooth surface
zebra lines

Latex coat



FBO-G008

nitrile half coated,
knit wrist, open back
13s polyester/nylon lining
foam surface

10doz 13/12 26x30x60 6000 doz/20'



FBO-RB323K

latex half coated, safety cuff,
yellow/light yellow color
A: jersey lining (A/B grde)
B: interlock lining



FBO-RB324K

latex full coated, safety cuff,
yellow/light yellow color
A: jersey lining (A/B grade)
B: interlock lining



FBO-RB321K   

latex half coated, knit wrist,
yellow/light yellow color
A: jersey lining (A/B/C grade)
B: interlock lining (A/B/C grade)



FBO-RB322K   

latex full coated, knit wrist,
yellow/light yellow color
A: jersey lining (A/B/C grade)
B: interlock lining (A/B/C grade)

Industrial gloves



  

FBO-A
Natural latex, industrial,
lined double color black/orange
Good tensile strength and elongation,
durable use, Wear comfortably and easily
Deep hollow patterns in palm and fingers
in models, maximal grip, and no slip
60g/65g/70g/80g/90g/110g/130g/
140g/150g/160g x 14"
14"x110g: smooth 14/13kgs
10doz 35x26x33cm 9600 doz/20'
14"x150g: smooth 17/16kgs
10doz 35x26x35cm 9000 doz/20'
14"x220g: smooth/corrugated 15/14kgs
5doz 35x26x35cm 4800 doz/20'
18"x320g: smooth/corrugated 22/20kgs
5doz 37x30x40cm 3200 doz/20'



  

FBO-B
Nitrile, industrial,
unlined/lined, green/blue,
Good organic solvent resistance, oil
resistance, wear resistance, puncture
resistance, good ozone, heat resistance,
durable use, no dermal anaphylaxis,
high tensile strength, no slip
Unlined: 8mil(31cm)/11mil(33cm)
/13mil(33cm)
lined: 13mil(33cm)/15mil(33cm)
/18mil(33cm)/
22mil(45cm)/22mil(55cm)
10doz 10/9kgs 38x33x22cm 11000doz/20'



FBO-1101A

latex coated,
A: 10g 5 threads polycotton yarn
B: 10g 2 threads polycotton yarn
wrinkle surface



FBO-1101B

latex coated,
A: 10g 5 threads polycotton yarn
B: 7g threads polycotton yarn
wrinkle surface
fluorescent acrylic cotton lining



FBO-1101C

latex coated,
13s polyster/nylon lining
foam surface



FBO-1101G

latex coated,
13s polyster/nylon lining
wrinkle surface



FBO-1101D

latex coated,
towel lining
foam surface
10doz 12/11 50x27x32 6500 doz/20'



FBO-1203A

latex coated,
A: 10g 2 threads polycotton yarn
B: 7g threads polycotton yarn
A: 68g B: 45g C:40g
tablet surface



FBO-GD213

Rubber rough coated, open back,
10doz 21/20 28x38x64cm
4110 doz/20'



FBO-40977A

white PU coated,
open back,
red/green knit wrist,
A: white 13g nylon lining
B: white polyster lining
C: w/o PU coated



FBO-40977B

black PU coated,
open back, knit wrist,
A: black 13g nylon lining
B: black polyster lining

20doz 19/18kgs 26x34x60cm 10600 doz/20'



FBO-D

Natural household
unlined/lined
straight cuff/zigzag cuff/roll cuff
normal sleeve, excellent tensile
strength and elongation
durable use, wear comfortably and easily
patent hexagonal patterns in palm
no-slip grip

10 doz 9/8kgs 35x28x22cm 13000 doz/20'



FBO-F

Insulation Gloves
Rubber: 5kv, 12kv, 25kv, 35kv
Latex: 5kv, 10kv, 12kv, 40kv
Standard: IEC60903-2002
This product series is suitable for operation
in the power inquiry, or on the electrified
equipments, they can protect workers from
electric shock caused by touching energized
objects. Products of different models can
be selected for different voltage level
operations. Two types are available :
dipped-natural latex and rubber-vulcanized.
Length: 39cm Weight: 410g
Packing: 25pairs 8/7kgs 40x40x20cm

Cut resistance



FBO-9812CT

HPPE knitted liner, anti-cut (level 5)
special processing for the palm. good
anti-skid, anti-abrasion, TPR sewed on
back, anti-vibration and anti-impact
Cut resistance: class 5

Applications
mechanical industry, automobile
manufacturing security check,
rescue industry, high risk industry



FBO-9813CT

Material: 13 gauge cut resistance
material dip nitrile sandy
Specification: dorsal hand TPR stickers
palm imprint shock mount
Cut resistance: class 3

Applications
mechanical industry, automobile
manufacturing security check,
rescue industry, high risk industry



FBO-PD8032

grey/black PU coated,
knit wrist, open back
cut 3: 13G nylon liner
combination
with polyurethane
cut 5: 13G nylon liner
combination
with polyurethane
and fiber glass

GLOVE

EN420/EN388/EN374/EN477



FBO-PD8026

grey/black NRTRILE coated,
knit wrist,open back
cut 3:13G nylon liner combination
with polyurethane
cut 5:13G nylon liner combination
with polyurethane
and fiber glass



FBO-0078

knitted with anti-cut yarn blended
with imported steel wire.
anti-cut,level 5
anti-puncture,level 2
Ergonomic design
Applications:glass industry
automotive,assembly,high
high risk industry etc



FBO-0082

knitted with anti-cut yarn
blended with imported steel
wire.cow split leather palm
anti-cut,level 5
anti-puncture,level 2
Ergonomic design
Applications:glass industry
automotive,assembly,high
high risk industry etc

Mechanic glove



FBO-M1



FBO-M2



FBO-M3



FBO-M4



FBO-M5



FBO-M6



FBO-M7



FBO-M8

Palm: washable breathable synthetic leather and pad cotton fabric back
offer a combination of dexterity and protection

Back: line and padded 2-way stretch spandex or TPR sewed on the back

Knuckle: stretch neoprene, allow fingers to properly flex properly and reduces fatigue

Closure: adjustable hook and loop allow the cuff to use the adjusted and secured for a custom fit
100pairs 12/11kgs 68X32x42cm 30600 pairs/20'

EN420/EN388/EN374/EN477

HTR Mechanic(high quality)



FBO-0390

Material: 13 gauge nylon dip nitrile sandy
 Specificate:dorsal hand
 TPR stickers
 palm imprint shock mount ,
 Size:7-11



FBO-0511

polyeseter/spandex fabric for back with TPR,breathable,comfortable,anti-impact, sunthetic leather palm with silicon dots soft.high anti-slip,anti-abrasion and anti-puncture functions etc.
 Applications
 automobile manufacturing,rescue industry
 assembly industry,high risk industry



FBO-0098

Bamboo fiber knitted liner,anti-static anti-microbial and anti-stink,suitably used in mine.sandy nitrile palm,good function of anti-slip,anti-abrasion anti-vibration,reducing the dangerous while working.sewed with TPR to get better anit-impact.velcro on the cuff
 Applications
 automobile manufacturing,rescue industry
 assembly industry,high risk industry



FBO-0392

Three layer composite fabric for the material of the back of the palm. TPR sewed on the back, super grip, anti-abrasion anti-cut (level 5), anti-puncture (level 4) anti-skip, anti-vibration functions.

Applications

automobile manufacturing, rescue industry
assembly industry, high risk industry.

Disposable glove



FBO-DPN

Nitrile blue

* POWDER FREE

* POOWDER

100pcs/box 20box/ctn

13/11kgs 53x26x32cm



FBO-DPL

LATEX white

* POWDER FREE

* POOWDER

100pcs/box 20box/ctn

13/11kgs 53x26x32cm



FBO-DPV

Vinyl white/blue

* POWDER FREE

* POOWDER

100pcs/box 10box/ctn

12/11kgs 26x26x33cm



FBO-DPP

HDPE

*0.013MM/9KG

*0.014MM/10KG

100pcs/bag 100bag/ctn

40x31x27cm