



**Declaration of Conformity**  
 Order No.: EPTC-JL-S0903613  
 Issue date: March 12, 2009

In accordance with the following Applicable Directives:  
 The PPE directive 89/686/EEC

The device, as described herewith, was tested pursuant to applicable test procedure and complies with the requirements of:

EN 397: 1995+A1: 2000

Applicant: Yongkang Juli Protection Articles Co., Ltd.  
 No. 9 Gushan Industrial Area, Yongkang, Zhejiang, China

Product: SAFETY HELMET

Model Number: JL-B021

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out.  
 This certificate applies specifically to the sample investigated in our test reference number only.  
 The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.  
 Other relevant Directives have to be observed.

 Authorized by:   
 Eliza Chen



Eport Compliance Laboratory Limited  
 Web: www.eport.com

**Declaration of Conformity**  
 Order No.: EPTH-JL-S0810691  
 Issue date: October 27, 2008

In accordance with the following Applicable Directives:  
 The PPE directive 89/686/EEC

The device, as described herewith, was tested pursuant to applicable test procedure and complies with the requirements of:

EN 397: 1995+A1: 2000

Applicant: Yongkang Juli Protection Articles Co., Ltd.  
 No. 9 Gushan Industrial Area, Yongkang, Zhejiang, China

Product: SAFETY HELMET

Model Number: JL-B002

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out.  
 This certificate applies specifically to the sample investigated in our test reference number only.  
 The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.  
 Other relevant Directives have to be observed.

 Authorized by:   
 Eliza Chen



Eport Compliance Laboratory Limited  
 Web: www.eport.com, E-mail: info@eport.com

**EG BAUMUSTERPRÜFBESCHEINIGUNG**  
**EC TYPE-EXAMINATION CERTIFICATE**

Experte der Besonderen Stelle über das Konformitätsbewertungsverfahren gemäß  
 Artikel 10 der Richtlinie 89/686/EG  
 Expert Opinion of the Notified Body on the Conformity Assessment according to  
 Article 10 of Directive 89/686/EEC

Benannte Stelle PZT GmbH EU Kenn-Nummer: 1974  
 Notified Body PZT GmbH EE Identification Number: 1974

Benennung Nr. - Version: 851105  
 Registrierungs-Nr. - Version:   
 Bescheinigungsnummer:   
 Certificate Number: Guangzhou J&Y Safety Products Manufacturer Co., Ltd.  
 Anschrift: Food Industrial Zone No.135, Shuangye Dadao, Xinhua Town, Huadu District, Guangzhou, China  
 Address:   
 Produkt: Gehörschutzsteplapp  
 Kind of Product: Ear-plug  
 Markenname u. Typbezeichnung: J & Y / EC-2001, EC-2001C  
 Brand name and Model name:   
 Kennzeichnung: CE  
 Labeling:   
 Prüfgrundlage: EN 352-2: 2002 (DIN EN 352-2: 2002)  
 Requirements:   
 Prüfbericht Nr. und Datum: 851105-1 / 24. February 2011  
 Test Report No. and Date:   
 Stellungnahme der Besonderen Stelle (Opinion of Notified Body):   
 Die Baumusterprüfung hat ergeben, dass die Prüfstücke die Forderungen der oben genannten Vorschriften erfüllen. Die Konformitätsbewertung bestätigt, dass dieartigen Prüfstücke den Anforderungen der oben genannten Spezifikationen entsprechen.  
 Diese Bescheinigung wurde in Übereinstimmung mit der Richtlinie 89/686/EG des Europäischen Parlamentes und des Rates ausgestellt und ist nur gültig in Verbindung mit dem folgenden Anhang (1 Seite), Gültigkeitsdauer fünf Jahre. This certificate is issued in accordance with the Directive 89/686/EEC of the European Parliament and the Council and is only valid in conjunction with the following annex (1 page), the period of validity is five years.

Wilhelmshaven, 14. März 2011  
 Ausfertigung und -datum / Place, Date of Issue:   
 PZT GmbH  
 An der Junkerstr. 48F  
 D-26389 Wilhelmshaven  
 Germany  
 Anerkannt als Besondere Stelle der Bundesrepublik Deutschland durch die ZLS (Zentralstelle der Länder für Sicherheitszwecke) Recognized as Notified Body for the Federal Republic of Germany by ZLS

**CERTIFICATE of Conformity** 

Registration No.: AK 50083659 0001  
 Report No.: 21124688 001

Holder: Zhejiang Cairun Reflecting Material Co., Ltd.  
 Wuyi Economic Development Zone  
 Zhejiang Province  
 P.R. China

Product: Zahnrad aus ultrahochfestem Material  
 Reflective material

Identification: 0860  
 Material: 2004 Polymater with coating (glass micro-beads)  
 Gewicht: 20 471,6 (1 table 3 and 4 (class 2))  
 20 471,6 (1 after abrasion, Flaming, Polishing at cold temperature, Temperature variation, Washing 25 cycles, Dry cleaning 3 cycles, Influence of oilfall)

Tested acc. to: 80 471 2005

The certificate of conformity refers to the above mentioned product. This is to certify that the specimen is in conformity with the standards mentioned above. This certificate does not imply assessment of the producer of the product and does not permit the use of a TÜV Rheinland mark of conformity.

Cheque: 29.04.2006

 Certification Body  
 Dipl.-Ing. G. Rahnert

TÜV Rheinland Product Safety GmbH - Am Grauen Stein - D-51105 Xöfn

**Intertek**  
 EC TYPE EXAMINATION CERTIFICATE Approved Body 0262

Issued to: Shanghai Yiming Shoes Co. Ltd  
 Room 306, No. 1009, Gujiang Road,  
 Shanghai, China

Manufacturer: Shanghai Yiming Shoes Co. Ltd  
 Room 306, No. 1009, Gujiang Road,  
 Shanghai, China

Date of issue: 1<sup>st</sup> August 2007

Certificate No.: 217732

Product Reference: YMS988

Description: Construction Injection  
 Trench ISO/D4 Steel Toe  
 Last 804H  
 Sole Single Density PU in Black  
 Test Reports: see technical file  
 Size Range Eur 35-49F  
 Category SB

The safety footwear detailed above meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) for intermediate design category products. This has been shown through satisfactory testing in EN ISO 20345:2004 and examination of the technical documentation.

Following an EC declaration of product conformity, you are hereby licensed to mark the product(s) detailed above in accordance with article 13 of the PPE Directive (89/686/EEC).

Ben Platte Assessor Date: 10/07  
 For and on behalf of:   
 Intertek Labtest UK Limited Certification Manager Date: 10/7/07

Intertek Labtest UK Limited  
 Registered in England: 2474727 Registered Office: 40 North Road London E16 6JH

**POLSKIE CENTRUM BADAŃ I CERTYFIKACJI S.A.**  
 ul. Klebucka 23A, 02-699 Warszawa

**CERTYFIKAT ZGODNOŚCI Nr CE/13/69/06/BR**  
 CERTIFICATE OF CONFORMITY No.

Name of holder/manufacturer: HARBIN ANQIQI SAFETY PRODUCTS MANUFACTURING CO., LTD.  
 Name and address of the applicant: No. 11, Shuangye, Fuying Xitun, Pingliangshan, Pingliang City, Gansu, China  
 Name of holder/producer: J & Y  
 Name and address of the manufacturer: as above

Name of certificate: Chinese legation  
 Product: Safety Footwear  
 Type (category): ANS-011

Product name/Model name:   
 Size (category):   
 Production year: 2006 / size: 45-47,  
 Size (category): 45 (category: I, category: category: SB

Technical specification: EN ISO 20345:2004  
 The product complies with the applicable requirements according to the following standard:  
 Standard or specification: Testing & Inspection for Labour Protective Appliances, Shanghai Institute of Labour Protection, i.e. Shanghai Quality Supervision & Inspection Station for Industrial Products Equipment - China  
 Address of the competent authority:   
 No. 13/69/06/BR  
 Date of issue of the report: 2006-06-17 / 13.04.2006

The holder of this certificate certifies that the product(s) detailed above meets the requirements of the technical specifications mentioned in Article 10 of the PPE Directive (89/686/EEC). The certificate of conformity is issued in accordance with the provisions of Article 10 of the PPE Directive (89/686/EEC). The certificate is valid from the date of issue of this report.

Director G. Rahnert  
 I CERTYFIKACJI  
 Centrum Badań i  
 Pol. 2006 Warszawa, 13.07.2006  
 Zgodil Certyfikacji Wyrobów Ochrony Osobistej  
 General Product Certification Division

**Declaration of Conformity**  
 Order No.: EPTC-JL-S0903615  
 Issue date: May 11, 2009

In accordance with the following Applicable Directives:  
 The PPE directive 89/686/EEC

The device, as described herewith, was tested pursuant to applicable test procedure and complies with the requirements of:

EN 397: 1995+A1: 2000

Applicant: Yongkang Juli Protection Articles Co., Ltd.  
 No. 9 Gushan Industrial Area, Yongkang, Zhejiang, China

Product: SAFETY HELMET

Model Number: JL-B004

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out.  
 This certificate applies specifically to the sample investigated in our test reference number only.  
 The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.  
 Other relevant Directives have to be observed.

 Authorized by:   
 Eliza Chen



Eport Compliance Laboratory Limited  
 Web: www.eport.com

**Declaration of Conformity**  
 Order No.: EPTC-JL-S0903615  
 Issue date: March 12, 2009

In accordance with the following Applicable Directives:  
 The PPE directive 89/686/EEC

The device, as described herewith, was tested pursuant to applicable test procedure and complies with the requirements of:

EN 397: 1995+A1: 2000

Applicant: Yongkang Juli Protection Articles Co., Ltd.  
 No. 9 Gushan Industrial Area, Yongkang, Zhejiang, China

Product: SAFETY HELMET

Model Number: JL-B023

The tests were performed in normal operation mode. The test results apply only to the particular sample tested and to the specific tests carried out.  
 This certificate applies specifically to the sample investigated in our test reference number only.  
 The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.  
 Other relevant Directives have to be observed.

 Authorized by:   
 Eliza Chen



Eport Compliance Laboratory Limited  
 Web: www.eport.com

**CERTIFICATE**  
 in the conformance with the Australian/New Zealand standard  
 for hearing protectors

**PZT GmbH**  
 accredited test laboratory and European Notified Body

Registration No. - Version: AU-851103  
 Manufacturer: Guangzhou J&Y Safety Products Manufacturer Co., Ltd.  
 Address: Food Industrial Zone No. 135 Shuangye Dadao  
 Xinhua Town, Huadu District  
 Guangzhou, China  
 Kind of Product: Disposable ear-plug  
 Brand name and Model name: J & Y / EC-1001 / EC-1001C  
 Requirements: AS/NZS 1270:2002, Australia/New Zealand, Acoustics - Hearing protectors  
 Test Report No. and Date: 851103-2 / 10<sup>th</sup> March 2011  
 Test Result: SLCo: 29 dB Class: 5

The validity of this Certificate will expire, if the manufacturer modifies the relevant properties of this product with comparison to the tested one or if the requirements in the standards or technical rules will be revised and/or tightened. Name and address of the test laboratory and Notified body PZT can be indicated in the information brochure of this product.

This certificate is only valid in conjunction with the following annex (page 1):

Wilmshaven, 18<sup>th</sup> March 2011  
 This date of issue:   
 PZT GmbH  
 An der Junkerstr. 48F  
 D-26389 Wilhelmshaven  
 Germany  
 Accredited test laboratory and recognized as Notified Body for the Federal Republic of Germany by ZLS

BEIJING FAR BLUE OCEAN IMPORT & EXPORT CO., LTD engages in the safety products area. Such as the helmet, safety shoes, gloves, safety vest, coverall and so on....We have our own shoe factory and some other cooperative factories in China.

Now our company devotes itself to becoming a whole safety products industrial chain, one-stop procurement platform. And we show the best products, the best service and the most professional purchase experience.

Our safety products have more than 20 categories. We have certifications on most products, such as CE, ANSI, CSA and CA.... Therefore the quality is reassuring.

Rooted in honest, high-quality product and efficient service, our company has lots of old clients in many countries. Such as Europe, American, Africa, Middle East, Australia, Asia.... Please view our client distribution table.

Main Markets	Total Revenue(%)	Main Products
Western Europe	19.80%	Helmets, safety shoes, gloves
Middle East	18.20%	Safety shoes, safety vests, coveralls
North America	14.50%	Helmets, safety vests, safety shoes
South America	11.20%	Gloves, coveralls, safety shoes
Africa	9.40%	Safety shoes, rain coats, coveralls
Northern Europe	8.60%	Safety shoes, gloves
Asia(except Middle East)	5.90%	Safety shoes, safety vests
Australia	2.90%	Safety shoes, safety vests

We're glad to establish the business relations with the clients all over the world. Cooperating with us will make us win-win.

# CONTENTS



SAFETY SHOES ( GUM BOOTS)

1



HELMET

14



GLOVE

21



GOGGLE

34



EAR MUFF

40



DUST MASK

45



RESPIRATOR

51



WELDING MASK

53



KNEE BOSS

57



LEATHER TOOL BAG

60



SAFETY HARNESS

65



TRAFFIC SAFETY

71



REFLECTIVE VEST

79



RAIN WEAR

84



NON-WOVEN SERIES

89



LIFE JACKET

91



COVERALL

92



FIRE FIGHTING

101



FIRST AID KIT

103

## Safety shoes (#36-#47)

Standard: EN ISO 20345: 2004

Material: Buffalo/ Suede leather,  
Campela lining, PU sole

Protecting ability:

- a. steel toe: impact-proof
- b. inner steel sole: impact-proof
- c. PU injection moulding: strong and comfortable
- d. PU sole: wearable and well bended
- e. water proof
- f. non slip
- g. oil resistance
- h. Acid & Alkali resistance
- i. heat resistance
- j. anti-shock
- k. anti-stati



### ENISO20345 STANDARDS SB SBP S1 S1P S2 S3 S4 O4 S5

Feature	SB	SBP	S1	S1P	S2	S3	S4	O4	S5
200 Joule Composite toe cap/Steel toe cap	●	●	●	●	●	●	●		●
Shock Absorber Heel	●	●	●	●	●	●			
Kevlar anti-perforation insole/Steel midsole		●		●		●			●
Anti-static			●	●	●	●	●		●
Anti&Alkali Resistant	●	●	●	●	●	●	●	●	●
Oil Resistant Sole	●	●	●	●	●	●	●	●	●
Anti-slip	●	●	●	●	●	●	●		●
Leather Upper	●	●	●	●	●	●	●	●	●
Water Penetration Resistant					●	●	●	●	●

Eurp size:	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK size:	2(1/2)	3	4	5	6	6(1/2)	7	8	9	10	10(1/2)	11	12	13
USA size:	3	3(1/2)	4	5	6	7	7(1/2)	8(1/2)	9	10	11	11(1/2)	12	13

EN345

Cementing and side sticking (#38-#46)

Sole EVA + rubber:anti-heating; light weight wear-resisting



FBOS-7000H1 suede leather  
air mesh lining  
EVA + rubber sole



FBOS-7000H2 move ground leather  
air mesh lining  
EVA + rubber sole



FBOS-2018-1 PU+mesh lining  
air mesh lining  
EVA+rubber sole



FBOS-2018-2 PU+mesh lining  
air mesh lining  
EVA+rubber sole



FBOS-HN064 full grain leather  
air mesh lining  
EVA+rubber sole



FBOS-HN064-1 full grain leather  
air mesh lining  
EVA + rubber sole



FBOS-HN9005L PU+mesh lining  
air mesh lining  
EVA+rubber sole



FBOS-HN113-3 full grain leather  
air mesh lining  
EVA+rubber sole

# SHOES

EN345



FBOS-HN1008-50 full grain leather  
air mesh lining  
EVA+rubber sole



FBOS-HN115-7 full grain leather  
air mesh lining  
EVA+rubber sole



FBOS-1008-8 full grain leather+mesh  
air mesh lining  
EVA+rubber sole



FBOS-1008-19 full grain leather+mesh  
air mesh lining  
EVA+rubber sole



FBOS-HN2 suede leather 4"  
air mesh lining  
EVA + rubber sole



FBOS-HN9006L suede leather 4"  
air mesh lining  
EVA + rubber sole



FBOS-HN1009-5 move ground leather  
air mesh lining  
EVA + rubber sole



FBOS-HN18003-3 move ground leather  
air mesh lining  
EVA + rubber sole



EN345

# SHOES



FBOS-HN500B-5 full grain leather+mesh  
air mesh lining  
rubber sole



FBOS-HN500B-3 full grain leather+mesh  
air mesh lining  
rubber sole



FBOS-HN1008-1 full grain leather+mesh  
air mesh lining  
EVA+rubber sole



FBOS-HNL1008 full grain leather+mesh  
air mesh lining  
EVA+rubber sole



FBOS-HNK2017 full grain leather+mesh  
air mesh lining  
EVA+rubber sole



FBOS-HNK2017-2 full grain leather+mesh  
air mesh lining  
EVA+rubber sole



FBOS-HN3001 full grain leather+mesh  
air mesh lining  
EVA+rubber sole



FBOS-HN2001-3Y full grain leather+mesh  
air mesh lining  
EVA+rubber sole



FBOS-HN300B-3 suede leather  
air mesh lining  
rubber sole



FBOS-HN300B suede leather  
air mesh lining  
rubber sole



FBOS-HN1510 nubuck leather  
air mesh lining  
EVA+rubber sole



FBOS-HN1514 nubuck leather  
air mesh lining  
EVA+rubber sole

## Machine sewing lining (#6-#15) (#37-#46)

Standard: ANSI Z41-1991 (EEE); CAN CSA-Z195-M92

Material: Cow grain upper leather, Good-year sole

Protecting ability:

- a: steel toe: impact-proof
- b: inner steel sole: impact-proof
- c: machine sewing lining: strong and comfortable
- d: rubber/oxford sole
- e: wearable and well bended
- e: water proof
- f: non slip
- g: oil resistance
- h: acid & alkali resistance
- i: heat resistance
- j: anti-shock
- k: anti-static

Packing: 4" 1 pair/color box 12 pairs/ctn 23/20kgs 74x44x34cm 3000 pairs/20'

6" 1 pair/color box 12 pairs/ctn 29/27kgs 75x46x34cm 2940 pairs/20'

8" 1 pair/color box 12 pairs/ctn 30/27kgs 77x56x34cm 2280 pairs/20'



FBOS-BCF6  
full grain leather 6"



FBOS-BF4  
full grain leather 4"



FBOS-RC6  
crazy horse  
leather 6"



FBOS-YN6  
nubuck leather 6"



FBOS-YN4  
nubuck leather 4"



FBOS-YCN6  
nubuck leather 6"



FBOS-RGF6  
nubuck leather 6"



FBOS-RG6  
crazy horse  
leather 6"



FBOS-RCG6  
crazy horse  
leather 6"

## Buffalo leather



FBOS-H2-2165 buffalo leather  
campela lining  
PU/PU sole



FBOS-H2-2081 buffalo leather  
campela lining  
PU/PU sole



FBOS-H2-C100A buffalo leather  
campela lining  
PU/PU sole



FBOS-UB136 buffalo leather  
campela lining  
PU/PU sole



FBOS-713672 buffalo leather  
campela lining  
PU/PU sole



FBOS-UP705 buffalo leather  
campela lining  
PU/PU sole



FBOS-H2-2073 buffalo leather  
campela lining  
PU/PU sole



FBOS-H6-2073 buffalo leather  
campela lining  
PU/PU sole



FBOS-PU212 buffalo leather  
campela lining  
PU/PU sole



FBOS-H2-2061 buffalo leather  
campela lining  
PU/PU sole



FBOS-H2-2075 buffalo leather  
campela lining  
PU/PU sole



FBOS-H6-6016 buffalo leather  
campela lining  
PU/PU sole



FBOS-UT182 buffalo leather  
campela lining  
PU/PU sole



FBOS-UT183 buffalo leather  
campela lining  
PU/PU sole



FBOS-UP655 buffalo leather  
campela lining  
PU/PU sole



FBOS-UP666 buffalo leather  
campela lining  
PU/PU sole

# SHOES

EN345



CE

FBOS-H6-6201

buffalo leather  
campela lining  
PU/PU sole



CE

FBOS-H6-6202

buffalo leather  
campela lining  
PU/PU sole



CE

FBOS-UT643

buffalo leather  
campela lining  
PU/PU sole



CE

FBOS-UT626

buffalo leather  
campela lining  
PU/PU sole



CE

FBOS-UP6277

buffalo leather  
campela lining  
PU/PU sole



CE

FBOS-UP6288

buffalo leather  
campela lining  
PU/PU sole

## Suede leather



CE

FBOS-H2-2044

suede leather  
campela lining  
PU/PU sole



CE

FBOS-PU0646

suede leather  
campela lining  
PU/PU sole



CE

FBOS-UM539A suede leather  
campela lining  
PU/PU sole



CE

FBOS-PU1034 suede leather  
campela lining  
PU/PU sole



CE

FBOS-UE411 suede leather  
air mesh lining  
PU/PU sole



CE

FBOS-UE411-1 suede leather  
air mesh lining  
PU/PU sole



CE

FBOS-HN01 air mesh lining  
PU/PU sole  
mesh and TPR  
campela lining  
PU/PU sole




CE

FBOS-HN02 air mesh lining  
PU/PU sole  
mesh and TPR  
campela lining  
PU/PU sole



CE

FBOS-H2-C110A air mesh lining  
PU/PU sole  
suede leather  
campela lining  
PU/PU sole



CE

FBOS-H2-C111A air mesh lining  
PU/PU sole  
suede leather  
campela lining  
PU/PU sole

## Full grain leather



FBOS-UP371A full grain leather  
campela lining  
PU/TPU sole



FBOS-UP371B Nubuck leather  
campela lining  
PU/TPU sole



FBOS-PU0409 full grain leather  
campela lining  
PU/PU sole



FBOS-PU0401 full grain leather  
campela lining  
PU/PU sole



FBOS-UG377 Nubuck leather  
campela lining  
oxford sole



FBOS-UG378 Nubuck leather  
campela lining  
oxford sole



FBOS-UQ544 lorica leather  
campela lining  
PU/PU sole



FBOS-UQ547 lorica leather  
campela lining  
PU/PU sole





BOOTS



FBOS-UF694  
buffalo leather 9"  
PU injection  
campela lining  
PU/PU sole



FBOS-HN3049  
cow grain leather 9"  
PU injection  
campela lining  
PU/PU sole



FBOS-HN7222  
cow grain leather 9"  
cementing and side sticking  
campela lining  
EVA+rubber sole



FBOS-HN3052  
cow grain leather 9"  
cementing and side  
sticking campela lining  
rubber sole



FBOS-AM01  
cow grain leather 9"  
campela lining  
PU sole



FBOS-MJ28  
cow grain leather 9"  
oxford cloth waterproof  
campela lining  
machine sewing lining  
rubber sole



FBOS-PU0439  
nubuck leather 8"  
cotton lining  
PU sole



FBOS-86001  
suede leather 9"  
oxford cloth waterproof  
campela lining  
rubber sole

## PVC rain boots (#36-#37)

water proof fire proof Oil resistance Non slip Anti-squashing  
Anti-acid Anti-alkali Anti-aging Anti-corrosive Anti-puncture



**FBOS-ANA-001A**  
400 mm high  
10pairs 25/23kgs  
43x43x45cm 3250 pairs/20'



**FBOS-ZY002GB**  
w/o steel toe w/o steel sole,  
with steel toe w/o steel sole,  
with steel toe with steel sole  
10pairs 22/20kgs  
50x30x43cm 3700 pairs/20'



**FBOS-ZY005YB**  
400 mm high  
10pairs 23/21kgs  
58x40x33cm 3600 pairs/20'



**FBOS-ZY008BB**  
w/o steel toe w/o steel sole,  
with steel toe w/o steel sole,  
with steel toe with steel sole  
10pairs 22/20kgs  
50x30x43cm 3700 pairs/20'



**FBOS-WL019**  
400MM 10pair 22/20kg  
50x30x43cm 3700 pairs/20'



**FBOS-ANA-002**  
w/o steel toe w/o steel sole  
10pairs 18/16kgs  
50x30x43cm 4400 pairs/20'



**FBOS-GY001GB**  
w/o steel toe w/o steel sole  
10pairs 18/16kgs  
50x30x43cm 4400 pairs/20'



**FBOS-WL012**  
w/o steel toe w/o steel sole  
10pairs 18/16kgs  
50x30x43cm 4400 pairs/20'



**FBOS-ANA-BYA**  
10pairs 19/17.5kgs  
59x31x31cm 5000 pairs/20'

# HELMET

EN397 / ANSI

Standard: EN397 ANSI Z89.1

Protecting Ability: Anti-puncture Anti-shock insulate

Adjust manner: A: plug B: ratchet C: auto-locking



A: plug



B: ratchet



C: auto-locking

Fix head suspension: 4 point 6 point 8 point

Weight: (shell weight + head suspension weight)

Packing: Assembly

Packing: Separately

## CLAMPING CAP



FBO-AY1 Ratchet type  
ABS 480G  
25pcs 10/8kg  
55x51x44cm 5750pcs/20'



FBO-AY2 Ratchet type  
ABS 480G  
25pcs 10/8kg  
55x51x44cm 5750pcs/20'

# HELMET

EN397 / ANSI

## HDPE/ABS



FBO-HP1



A

8 point  
292g + 79g  
24pcs 10 / 8kgs  
57 x 45 x 55cm 4800pcs / 20'  
30pcs 12 / 10kgs  
57 x 45 x 55cm 6000pcs / 20'



B

8 point  
292g + 90g  
20pcs 10 / 8kgs  
57 x 45 x 55cm 4000pcs / 20'  
128pcs 11 / 10kgs  
57 x 45 x 55cm 5600pcs / 20'



FBO-HP2



A

8 point  
302g + 91g  
24pcs 11 / 9kgs  
57 x 45 x 55cm 4800pcs / 20'  
28pcs 12 / 10kgs  
57 x 45 x 55cm 5600pcs / 20'



8 point  
302g + 112g  
20pcs 9 / 8kgs  
57 x 45 x 55cm 4000pcs / 20'  
26pcs 12 / 10kgs  
57 x 45 x 55cm 5200pcs / 20'



FBO-HP3



A

4 point  
324g + 91g  
28pcs 13 / 9kgs  
57 x 45 x 55cm 5600pcs / 20'  
30pcs 14 / 13kgs  
57 x 45 x 55cm 6000pcs / 20'



B

4 point  
324g + 112g  
20pcs 11 / 9kgs  
57 x 45 x 55cm 4000pcs / 20'  
28pcs 14 / 13kgs  
57 x 45 x 55cm 5600pcs / 20'

EN397 / ANSI

# HELMET



FBO-HP4



A



B

4 point  
299g + 91g  
24pcs 11 / 10kgs  
57 x 45 x 55cm 4800pcs / 20'  
32pcs 14 / 13kgs  
57 x 45 x 55cm 6400pcs / 20'

4 point  
299g + 112g  
20pcs 10 / 8kgs  
57 x 45 x 55cm 4000pcs / 20'  
30pcs 14 / 13kgs  
57 x 45 x 55cm 6000pcs / 20'



FBO-HP6



A



B

8 point  
299g + 91g  
24pcs 11 / 10kgs  
57 x 45 x 55cm 4800pcs / 20'  
28pcs 13 / 11kgs  
57 x 45 x 55cm 5600pcs / 20'

8 point  
299g + 112g  
20pcs 10 / 7kgs  
57 x 45 x 55cm 4000pcs / 20'  
26pcs 13 / 11kgs  
57 x 45 x 55cm 5200pcs / 20'



FBO-HP7



A



B

8 point  
299g + 91g  
24pcs 11 / 10kgs  
57 x 45 x 55cm 4800pcs / 20'  
28pcs 13 / 11kgs  
57 x 45 x 55cm 5600pcs / 20'

8 point  
299g + 112g  
20pcs 10 / 9kgs  
57 x 45 x 55cm 4000pcs / 20'  
26pcs 13 / 11kgs  
57 x 45 x 55cm 5200pcs / 20'

# HELMET

EN397 / ANSI



FBO-HP11 4 point 310g + 112g  
 20pcs 13 / 11kgs  
 66 x 57 x 51cm 2920pcs / 20'  
 28pcs 15 / 13kgs  
 66 x 57 x 51cm 4088pcs / 20'



FBO-D028 6 point  
 320g + 112g  
 30pcs 14.3 / 13kgs  
 62 x 46 x 57cm 5100pcs / 20'



FBO-HP13



A



B

8 point  
 331g + 91g  
 20pcs 11 / 9kgs  
 59 x 47 x 50cm 4000pcs / 20'  
 24pcs 12 / 11kgs  
 59 x 47 x 50cm 4800pcs / 20'

8 point  
 331g + 118g  
 20pcs 11 / 9kgs  
 59 x 47 x 50cm 4000pcs / 20'  
 24pcs 12 / 11kgs  
 59 x 47 x 50cm 4800pcs / 20'



FBO-HAB12 4 point  
 HDPE / ABS  
 310g + 95g  
 28pcs 14 / 12kgs  
 57 x 56 x 66cm 3780pcs / 20'



FBO-HAB10 6 point  
 HDPE / ABS  
 310g + 120g  
 28pcs 14 / 12kgs  
 57 x 56 x 66cm 3780pcs / 20'

EN397 / ANSI



FBO-HAB5 4 point  
 334g + 91g  
 24pcs 11 / 10kgs  
 57 x 45 x 55cm 4800pcs / 20'  
 28pcs 13 / 11kgs  
 57 x 45 x 55cm 5600pcs / 20'



FBO-HAB6 8 point  
 310g + 112g  
 20pcs 10 / 9kgs  
 57 x 45 x 55cm 4000pcs / 20'  
 26pcs 13 / 11kgs  
 57 x 45 x 55cm 5200pcs / 20'

## LDPE/PP



FBO-HF508-1  
 6 point  
 PE: 281g + 90g  
 40pcs 15 / 14kgs  
 55 x 45 x 53cm  
 8600pcs / 20'  
 ABS: 299g + 90g



FBO-B1018 plug type/ratchet type  
 PE: 222g+97g  
 ABS:260g+97g  
 30pcs 12/11kgs  
 64x29x55cm 8250pcs/20'



FBO-B1006 6 point  
 plug type  
 PE: 350g ABS: 390g  
 30pcs 12/11kgs  
 50x43x49cm  
 8000pcs/20"



FBO-AMY-3 4 point  
 PE: 219g + 95g  
 ABS: 249g + 95g  
 30pcs 12.5 / 11kgs  
 66 x 28 x 60cm  
 7650pcs / 20'

# HELMET

EN397 / ANSI



CE

FBO-JL-B021 6 point  
 PE: 240g + 72g  
 40pcs 16 / 15kgs  
 52 x 46 x 60cm 9000pcs / 20'  
 40pcs 16 / 15kgs  
 56.5 x 44 x 57cm 9000pcs / 20'



CE

FBO-JL-B005 6 point  
 PE: 200g + 80g  
 50pcs 18 / 17kgs  
 52 x 45 x 55cm  
 11250pcs / 20'



FBO-AMY-4 4 point  
 PE: 204g + 95g ABS: 234g + 95g  
 30pcs 12 / 11kgs  
 50 x 43 x 49cm 7500pcs / 20'



CE

FBO-AMY-6 4 point  
 ratchet type  
 PE: 294g+99g  
 ABS: 324g+99g  
 30pcs 12/11kgs  
 50x43x48cm 8400pcs/20'

## SOLAR POWER



FBO-JL-B007 4 point  
 PE: 174g + 50g  
 50pcs 15 / 14kgs  
 52 x 45 x 46cm  
 13600pcs / 20'



B

FBO-TYN  
 Solar powered  
 (when receipt of sunlight,  
 fan can be rotated, Can cooling)  
 solar plate:0.30W

6 point (28x22x15mm)  
 ratchet type  
 fan diameter:63mm  
 PE 370G  
 40pcs 57x48x85cm  
 5000pcs/20'



EN397 / ANSI

## BUMP CAP



FBO-RC1203 Material: PE + Polyethlence  
25pcs 12.5/10.5kgs  
50x30x21cm 22250pcs/20'



FBO-TC12 Material: PE + Polyethlence  
25pcs 9/7kgs  
55x37x38cm 9050pcs/20'



FBO-BC01



FBO-BC02



FBO-BC03



FBO-BCR1



FBO-BCR2



FBO-BCR3



FBO-BCR4



FBO-BCF2



FBO-BCF1

## Pig grain leather



FBO-PA503KT

Pig grain leather driver glove  
straight cuff  
10doz 17/16kg  
65x27X28cm 5700doz/20'



FBO-PA503RT

Pig grain leather driver glove  
reinforced palm  
10doz 15/14kg  
65x28X28cm 5700doz/20'



FBO-88PASA

Pig grain full palm, stripe back  
pasted cuff, half-lining  
10doz 24/23kg  
27x27X74cm 5200doz/20'



FBO-PA2208G

Pig grain full palm, green back  
rubberized cuff, half-lining  
10doz 17/16kg  
70x28X34cm 4250doz/20'



FBO-PA505

Pig grain full palm, red back  
rubberized cuff, half-lining  
artificial cotton-lining  
10doz 17/16kg  
70x28X34cm 4250doz/20'



FBO-PA7230

Premium pig grain palm  
elastic fabric cotton back  
band adjustment cuff  
10doz 15/14kg  
52x27X27cm 7400doz/20'

## Pig split leather



FBO-88PBASA

Pig split full palm, strip back  
pasted cuff, half-lining  
10 doz 24/23kgs  
27x27x74cm 5200 doz/20'



FBO-PB503WT

Pig split driver gloves  
keystone cuff  
10doz 17/16kgs  
65X27x28cm 5700doz/20'



FBO-SMT-38

Goat split leather  
driver glove reinforced palm  
lint-lining, band adj. cuff  
10doz 17/16kgs  
68x29x32cm 3340doz/20'

EN420/EN388/EN374/EN477

## Cow grain leather



FBO-ZY41XX

Cow grain leather driver glove,  
keystone cuff  
yellow color  
10doz 17/16kgs  
65x27x32cm 5000 doz/20'



FBO-RC118

Cow grain leather driver glove  
keystone cuff reinforced palm  
gold color  
10doz 17/16kgs  
65x27x32cm 5000doz/20'



FBO-ZY41XXA

Cow grain leather driver glove,  
band adj. cuff,  
white color  
10doz 17/16kgs  
65x27x32cm 5000 doz/20'



FBO-ZY21XX

Cow grain full palm, yellow back  
rubberized cuff, half-lining  
with/without cotton lining  
10doz 17/16kgs  
70x28x36cm 4000doz/20'



FBO-CA607

Cow grain full palm, yellow back  
rubberized cuff, half-lining  
with/without cotton lining  
gold color  
10doz 17/16kgs  
70x28x36cm 4000doz/20'



FBO-ZY21XXA

Cow grain full palm, fluo back  
rubberized cuff, half-lining  
with/without cotton lining  
10doz 17/16kgs  
70x28x36cm 4000doz/20'

## Cow split leather



FBO-ZY61XXA

Cow split patch palm, stripe back  
pasted cuff, half-lining  
10doz 24/22kgs  
27x27x74cm 5200doz/20'



FBO-ZY31XXB

Cow split full palm, red back  
rubberized cuff, half-lining  
10doz 24/22kgs  
38x28x68cm 4000doz/20'



FBO-ZY61XXC

Cow split full palm, stripe back  
pasted cuff, half-lining  
10doz 24/22kgs  
27x27x74cm 5200doz/20'



FBO-ZY31XXA

Cow split patch palm, yellow back  
rubberized cuff, half-lining

10doz 24/22kgs  
37x27x67cm 4200doz/20'



FBO-ZY31XXF

Cow split full palm  
yellow stripe back  
rubberized cuff, half-lining

10doz 24/22kgs  
38x28x68cm 4000doz/20'



FBO-ZY31XXC

Cow split full palm, red back  
rubberized cuff, half-lining  
fluo back

10doz 24/22kgs  
40x28x68cm 3700doz/20'



FBO-ZY31XXD

Cow split full palm, white back  
rubberized cuff, half-lining

10doz 24/22kgs  
38x28x68cm 4000doz/20'



FBO-ZY31XXE

Cow split full palm, yellow back  
rubberized cuff, half-lining

10doz 24/22kgs  
38x28x68cm 4000doz/20'



FBO-ZY51XXF

Cow split red reinforced palm  
green back rubberized cuff  
half-lining

10doz 24/22kgs  
40x28x68cm 3700doz/20'



FBO-ZY51XXA

Cow split yellow reinforced palm  
yellow back rubberized cuff  
half-lining

10doz 24/22kgs  
40x28x68cm 3700doz/20'



FBO-ZY51XXB

Cow split blue reinforced palm  
white back rubberized cuff  
half-lining

10doz 24/22kgs  
40x28x68cm 3700doz/20'



FBO-ZY51XXC

Cow split green reinforced palm  
stripe back rubberized cuff  
half-lining

10doz 24/22kgs  
40x28x68cm 3700doz/20'

EN420/EN388/EN374/EN477

## Welding glove

Packing:

14" 5doz 19/18kgs 36x23x73cm 2380doz/20'

16" 5doz 20/19kgs 42x21x75cm 2150doz/20'

18" 5doz 28/27kgs 58X32X53cm 1425doz/20'



FBO-ZY12XXA

high quality red cow split leather  
full knit lined,  
W or W/O black brim  
full back/two patch back



FBO-ZY12XXB

high quality red cow  
split leather  
full knit lined, red  
reinforced palm  
W or W/O black brim  
full back/two patch back



FBO-ZY12XXC

high quality red cow  
split leather  
full knit lined, black  
reinforced palm  
W or W/O black brim  
full back/two patch back



FBO-ZY12XXG

high quality blue cow  
split leather full knit lined,  
red reinforced palm  
W or W/O black brim  
full back/two patch back



FBO-ZY12XXH

high quality blue cow  
split leather full knit lined,  
yellow reinforced palm  
W or W/O black brim  
full back/two patch back



FBO-ZY12XXI

high quality blue cow  
split leather full knit lined,  
yellow big reinforced palm  
W or W/O black brim  
full back/two patch back



FBO-402G

Cow split leather  
full knit lined  
full back/two patch back



FBO-6082B

10.5"cow split leather  
reinforced palm  
unlined, two patch back  
10doz 17/16 41x17x75cm  
5400 doz/20'



FBO-SMT-117

Goat grain leather  
full knit lined  
cow split leather cuff  
120pcs 30/28kgs  
78x37x39cm 2400 doz/20'

## Cotton glove



FBO-8001  
Natural white  
without pvc dot  
400g-800g



FBO-8003  
Natural white  
one side pvc dot  
400g-800g



FBO-8005  
Natural white  
two side pvc dot  
400g-800g



FBO-8002  
Bleached white  
without pvc dot  
400g-800g



FBO-8004  
Bleached white  
one side pvc dot  
400g-800g



FBO-8006  
Bleached white  
two side pvc dot  
400g-800g

25 doz 20/19 kg 56x26x58 9000doz/20'



FBO-8013  
blue color  
with our pvc dot  
with one/two side pvc dot  
500g-800g



FBO-106T2  
Cotton drill gloves  
with knit wrist  
dyed white/red/blue cuff  
6/7/8/10/12oz weight



FBO-366T3  
Cotton drill gloves  
with knit wrist,color cuff  
with pvc dot  
dyed white/red/blue cuff  
6/7/8/10/12oz weight

EN420/EN388/EN374/EN477



**FBO-366T6**  
Cotton drill gloves  
with knit wrist,color cuff  
with fluo pvc dot  
dyed white/red/blue cuff  
6/7/8/10/12oz weight



**FBO-366T5**  
Cotton drill gloves  
with knit wrist,color cuff  
with fluo pvc dot  
dyed white/red/blue cuff  
6/7/8/10/12oz weight



**FBO-306**  
Print flower cotton drill,  
knit wrist,  
6oz printing palm and back

## PVC coat



**FBO-GSP002**  
red/black pvc dipped,  
knit wrist  
A:T/C lining  
B: interlock lining  
10doz 16/15kgs  
27x27x56cm 6900 doz/20'



**FBO-GSP003**  
red pvc dipped,  
smooth finish,long cuff,  
A:T/C lining  
B:interlock lining  
27cm/30cm/35cm/40cm/45cm



**FBO-313**  
Men's garden gloves,  
5oz pvc dotted palm,  
6oz dyed back and cuff  
(green/orange/blue)

27cm:10doz 20/19kgs 28x28x58cm 6200 doz/20' 30cm:10doz 23/22kgs 31x56x28cm 5800 doz/20'  
35cm:10doz 25/24kgs 37x60x28cm 4600 doz/20' 40cm:10doz 27/26kgs 41x56x28cm 4350 doz/20'  
45cm:5 doz 18/17kgs 47x56x16cm 3350 doz/20'

## Nitrile coat



**FBO-N51**  
blue nitrile half coated,  
safety cuff,  
A:jersey lining  
B:interlock lining



**FBO-N01**  
blue nitrile full coated,  
safety cuff,  
A:jersey lining  
B:interlock lining



**FBO-N3F**  
yellow nitrile half coated,  
knit wrist,  
interlock lining

# GLOVE

EN420/EN388/EN374/EN477



FBO-N52

blue nitrile half coated,  
knit wrist,  
A: jersey lining  
B: interlock lining



FBO-N02

blue nitrile full coated,  
knit wrist,  
A: jersey lining  
B: interlock lining

10doz 15/14 68x27x34 4500 doz/20'



FBO-A008

nitrile half coated,  
knit wrist, open back  
13s polyster/nylon lining  
smooth surface



FBO-N1001

nitrile half coated,  
knit wrist, open back  
13s polyster/nylon lining  
smooth surface



FBO-N1001A

nitrile half coated,  
knit wrist, open back  
13s polyster/nylon lining  
smooth surface



FBO-A013

nitrile half coated,  
knit wrist, open back  
13s polyster/nylon lining  
smooth surface  
zebra lines

## Latex coat



FBO-G008

nitrile half coated,  
knit wrist, open back  
13s polyster/nylon lining  
foam surface

10doz 13/12 26x30x60 6000 doz/20'



FBO-RB323K

latex half coated, safety cuff,  
yellow/light yellow color  
A: jersey lining ( A/B grde)  
B: interlock lining



FBO-RB324K

latex full coated, safety cuff,  
yellow/light yellow color  
A: jersey lining (A/B grade)  
B: interlock lining





FBO-RB321K   

latex half coated, knit wrist,  
yellow/light yellow color  
A: jersey lining (A/B/C grade)  
B: interlock lining (A/B/C grade)



FBO-RB322K   

latex full coated, knit wrist,  
yellow/light yellow color  
A: jersey lining (A/B/C grade)  
B: interlock lining (A/B/C grade)

Industrial gloves



FBO-A  
Natural latex, industrial,  
lined double color black/orange  
Good tensile strength and elongation,  
durable use, Wear comfortably and easily  
Deep hollow patterns in palm and fingers  
in models, maximal grip, and no slip  
60g/65g/70g/80g/90g/110g/130g/  
140g/150g/160g x 14"  
14"x110g: smooth 14/13kgs  
10doz 35x26x33cm 9600 doz/20'  
14"x150g: smooth 17/16kgs  
10doz 35x26x35cm 9000 doz/20'  
14"x220g: smooth/corrugated 15/14kgs  
5doz 35x26x35cm 4800 doz/20'  
18"x320g: smooth/corrugated 22/20kgs  
5doz 37x30x40cm 3200 doz/20'



FBO-B  
Nitrile, industrial,  
unlined/lined, green/blue,  
Good organic solvent resistance, oil  
resistance, wear resistance, puncture  
resistance, good ozone, heat resistance,  
durable use, no dermal anaphylaxis,  
high tensile strength, no slip  
Unlined: 8mil(31cm)/11mil(33cm)  
/13mil(33cm)  
lined: 13mil(33cm)/15mil(33cm)  
/18mil(33cm)/  
22mil(45cm)/22mil(55cm)  
10doz 10/9kgs 38x33x22cm 11000doz/20'



FBO-1101A

latex coated,  
A: 10g 5 threads polycotton yarn  
B: 10g 2 threads polycotton yarn  
wrinkle surface



FBO-1101B

latex coated,  
A: 10g 5 threads polycotton yarn  
B: 7g threads polycotton yarn  
wrinkle surface  
fluorescent acrylic cotton lining



FBO-1101C

latex coated,  
13s polyster/nylon lining  
foam surface



FBO-1101G

latex coated,  
13s polyster/nylon lining  
wrinkle surface



FBO-1101D

latex coated,  
towel lining  
foam surface  
10doz 12/11 50x27x32 6500 doz/20'



FBO-1203A

latex coated,  
A: 10g 2 threads polycotton yarn  
B: 7g threads polycotton yarn  
A: 68g B: 45g C:40g  
tablet surface



FBO-GD213

Rubber rough coated, open back,  
10doz 21/20 28x38x64cm  
4110 doz/20'



FBO-40977A

white PU coated,  
open back,  
red/green knit wrist,  
A: white 13g nylon lining  
B: white polyster lining  
C: w/o PU coated



FBO-40977B

black PU coated,  
open back, knit wrist,  
A: black 13g nylon lining  
B: black polyster lining

20doz 19/18kgs 26x34x60cm 10600 doz/20'



FBO-D

Natural household  
unlined/lined  
straight cuff/zigzag cuff/roll cuff  
normal sleeve, excellent tensile  
strength and elongation  
durable use, wear comfortably and easily  
patent hexagonal patterns in palm  
no-slip grip

10 doz 9/8kgs 35x28x22cm 13000 doz/20'



FBO-F

Insulation Gloves  
Rubber: 5kv, 12kv, 25kv, 35kv  
Latex: 5kv, 10kv, 12kv, 40kv  
Standard: IEC60903-2002  
This product series is suitable for operation  
in the power inquiry, or on the electrified  
equipments, they can protect workers from  
electric shock caused by touching energized  
objects. Products of different models can  
be selected for different voltage level  
operations. Two types are available :  
dipped-natural latex and rubber-vulcanized.  
Length: 39cm Weight: 410g  
Packing: 25pairs 8/7kgs 40x40x20cm

## Cut resistance



FBO-9812CT

HPPE knitted liner, anti-cut (level 5)  
special processing for the palm. good  
anti-skid, anti-abrasion, TPR sewed on  
back, anti-vibration and anti-impact  
Cut resistance: class 5

**Applications**  
mechanical industry, automobile  
manufacturing security check,  
rescue industry, high risk industry



FBO-9813CT

Material: 13 gauge cut resistance  
material dip nitrile sandy  
Specification: dorsal hand TPR stickers  
palm imprint shock mount  
Cut resistance: class 3

**Applications**  
mechanical industry, automobile  
manufacturing security check,  
rescue industry, high risk industry



FBO-PD8032

grey/black PU coated,  
knit wrist, open back  
cut 3: 13G nylon liner  
combination  
with polyurethane  
cut 5: 13G nylon liner  
combination  
with polyurethane  
and fiber glass

# GLOVE

EN420/EN388/EN374/EN477



FBO-PD8026

grey/black NRTRILE coated,  
knit wrist,open back  
cut 3:13G nylon liner combination  
with polyurethane  
cut 5:13G nylon liner combination  
with polyurethane  
and fiber glass



FBO-0078

knitted with anti-cut yarn blended  
with imported steel wire.  
anti-cut,level 5  
anti-puncture,level 2  
Ergonomic design  
Applications:glass industry  
automotive,assembly,high  
high risk industry etc



FBO-0082

knitted with anti-cut yarn  
blended with imported steel  
wire.cow split leather palm  
anti-cut,level 5  
anti-puncture,level 2  
Ergonomic design  
Applications:glass industry  
automotive,assembly,high  
high risk industry etc

## Mechanic glove



FBO-M1



FBO-M2



FBO-M3



FBO-M4



FBO-M5



FBO-M6



FBO-M7



FBO-M8

Palm: washable breathable synthetic leather and pad cotton fabric back  
offer a combination of dexterity and protection

Back: line and padded 2-way stretch spandex or TPR sewed on the back

Knuckle: stretch neoprene, allow fingers to properly flex properly and reduces fatigue

Closure: adjustable hook and loop allow the cuff to use the adjusted and secured for a custom fit  
100pairs 12/11kgs 68X32x42cm 30600 pairs/20'

EN420/EN388/EN374/EN477

## HTR Mechanic(high quality)



FBO-0390

Material: 13 gauge nylon dip nitrile sandy  
 Specificate:dorsal hand  
 TPR stickers  
 palm imprint shock mount ,  
 Size:7-11



FBO-0511

polyeseter/spandex fabric for back with TPR,breathable,comfortable,anti-impact, sunthetic leather palm with silicon dots soft.high anti-slip,anti-abrasion and anti-puncture functions etc.

Applications

automobile manufacturing,rescue industry  
 assembly industry,high risk industry



FBO-0098

Bamboo fiber knitted liner,anti-static anti-microbial and anti-stink,suitably used in mine.sandy nitrile palm,good function of anti-slip,anti-abrasion anti-vibration,reducing the dangerous while working.sewed with TPR to get better anit-impact.velcro on the cuff  
 Applications

automobile manufacturing,rescue industry  
 assembly industry,high risk industry

# GLOVE

EN420/EN388/EN374/EN477



FBO-0392

Three layer composite fabric for the material of the back of the palm. TPR sewed on the back, super grip, anti-abrasion anti-cut (level 5), anti-puncture (level 4) anti-skip, anti-vibration functions.

Applications

automobile manufacturing, rescue industry  
assembly industry, high risk industry.

## Disposable glove



FBO-DPN

Nitrile blue

\* POWDER FREE

\* POOWDER

100pcs/box 20box/ctn

13/11kgs 53x26x32cm



FBO-DPL

LATEX white

\* POWDER FREE

\* POOWDER

100pcs/box 20box/ctn

13/11kgs 53x26x32cm



FBO-DPV

Vinyl white/blue

\* POWDER FREE

\* POOWDER

100pcs/box 10box/ctn

12/11kgs 26x26x33cm



FBO-DPP

HDPE

\*0.013MM/9KG

\*0.014MM/10KG

100pcs/bag 100bag/ctn

40x31x27cm

Goggle



FBO-CPG61 PC len

UV protection  
 Anti-scratch and impact  
 PC len thickness:1.7mm  
 soft face frame nose bridge pad  
 can used with corrective glasses  
 easily replaceable lens

200pcs 14/12kgs 65x39x49cm 45000pcs/20'



FBO-CPG61V PC len

4 valves  
 UV protection  
 Anti-scratch and impact  
 PC len thickness:1.7mm  
 soft face frame nose bridge pad  
 can used with corrective glasses  
 easily replaceable lens

200pcs 15/13kgs 65x40x50cm 43000pcs/20'



FBO-HF103-5 PC len  
 soft face frame nose bridge pad  
 can used with corrective glasses  
 easily replaceable lens

100pcs 10/9kgs 42x40x44cm 38000pcs/20'



FBO-HF105-3 PC len  
 4 valves  
 soft face frame nose bridge pad  
 can used with corrective glasses  
 easily replaceable lens

100pcs 10/9kgs 50x39x47cm 31000pcs/20'



FBO-HF103 PC lens  
 Anti-scratch and impact  
 good quality  
 plastic bag with card  
 200pcs 21/19kgs  
 46x41x57cm 52000pcs/20'



FBO-FZ047 PVC len  
 plastic bag with card  
 200pcs 12/10kgs  
 50x39x38cm 76000pcs/20'



FBO-GB028-1W PC len

big vision  
can add sponge,anti fogging  
plastic bag with card  
100pcs 12/10kgs  
50x40x49cm 29000pcs/20'



FBO-CPG80 PC len

PC len  
w/o sponge  
plastic bag  
200pcs 22/20kgs  
77x44x50cm 34000pcs/20'



FBO-GH50 PC len

Anti-scratch and impact  
plastic bag with card  
200pcs 14/12kgs  
65x39x45cm 49000pcs/20'



FBO-GB028-1R PC len

big vision,color plating  
can add sponge,anti fogging  
plastic bag with card  
100pcs 12/10kgs  
50x40x49cm 29000pcs/20'



FBO-GB029-2 PC len

for skiing  
medium-sized  
plastic bag  
200pcs 16/14kgs  
78x36x37cm 54000pcs/20'



FBO-GB029-3 PC len

for skiing  
big-sized  
plastic bag  
200pcs 16/14kgs  
78x36x37cm 54000pcs/20'



EN166 / ANSI

## Spectacles



FBO-CPG05A PC len UV

**clear**  
can added rope  
plastic bag with card  
240pcs 15/14kgs  
68x38.5x45cm 58080pcs/20'



FBO-CPG05B PC len UV

**black**  
can added rope  
plastic bag with card  
240pcs 15/14kgs  
68x38.5x45cm 58080pcs/20'



FBO-YY360 PC len UV

**black**  
can added rope  
plastic bag with card  
240pcs 15/14kgs  
68x38.5x45cm 58080pcs/20'



FBO-CPG03A PC len UV

**smooth finished**  
can added rope  
color can be changed  
leg can be long/short adjusted  
w or w/o anti-scrates  
w or w/o anti-fogged  
PC frame/nylon frame  
300pcs 14/13  
42x84.5x33 73500pcs/20'



FBO-CPG03B PC len UV

**three color frame**  
can added rope  
color can be changed  
leg can be long/short adjusted  
w or w/o anti-scrates  
w or w/o anti-fogged  
PC frame/nylon frame  
300pcs 14/13  
42x84.5x33 73500pcs/20'



FBO-CPG03C PC len UV

**leg can be up/down adjusted (led light)**  
can added rope  
color can be changed  
leg can be long/short adjusted  
w or w/o anti-scrates  
w or w/o anti-fogged  
PC frame/nylon frame  
300pcs 14/13  
42x84.5x33 73500pcs/20'



FBO-8525A PC len UV

leg:smooth/sandy/half sandy  
len can be anti-scratch  
len can be anti-fogged  
plastic bag with card  
300pcs 14/13kgs  
43x83x33 72600pcs/20'



FBO-8525B PC len UV

leg:smooth/sandy/half sandy  
leg can be with rope  
len can be anti-scratch  
len can be anti-fogged  
plastic bag with card  
300pcs 14/13kgs  
43x83x33 72600pcs/20'



FBO-8525C PC len UV

leg with cover  
leg can be with rope  
len can be anti-scratch  
len can be anti-fogged  
plastic bag with card  
300pcs 14/13kgs  
43x83x33 72600pcs/20'

# GOGGLE

EN166 / ANSI



FBO-JL-D023-3 PC len  
leg and nose pad cushion,  
leg frosted,  
len surface coating  
plastic bag with card  
100pcs 5/4kgs  
50x34x27cm 61000pcs/20'



FBO-SF12 PC len  
leg and nose pad cushion,  
leg frosted,  
len surface coating  
plastic bag with card  
100pcs 5/4kgs  
50x34x28cm 58800pcs/20'



FBO-GB013-3 PC len  
leg and nose pad cushion,  
leg frosted,  
len surface coating  
plastic bag with card  
100pcs 5/4kgs  
50x34x27cm 61000pcs/20'



FBO-SF12A PC len UV  
with a nose pad for comfort cushion  
plastic bag with card  
100pcs 6/5kgs  
50x34x31cm 53500pcs/20'



FBO-GB026-1 PC len UV  
leg can be long/short adjusted  
plastic bag with card  
100pcs 6/5kgs  
50x33x27cm 63000pcs/20'



FBO-FC034 PC len UV  
leg and nose pad cushion,  
leg frosted,  
len surface coating  
plastic bag with card  
100pcs 5/4kgs  
50x34x27cm 61000pcs/20'



FBO-JL-D017 PC len  
Non-slip rubber tips  
plastic bag with card  
180pcs 9/8kgs  
53x33x57cm 50400pcs/20'



FBO-YY360 PC len  
leg and nose pad cushion,  
leg frosted,  
plastic bag with card  
100pcs 5/4kgs  
50x34x27cm 61000pcs/20'



FBO-GB024 PC len UV  
leg can be long/short adjusted  
w/o frame big vision  
plastic bag with card  
100pcs 4/3kgs  
50x39x23cm 63500pcs/20'



FBO-F2017 PCLEN

leg with cover  
plastic bag with card  
300pcs 10/9kgs  
81x33x37cm 85500pcs/20'



FBO-HF154 PCLEN

leg can be long/short adjusted  
anti-scrates  
len surface coating  
plastic bag with card  
240pcs 17/16kgs  
68x45x38cm 57600pcs/20'



FBO-2003 PCLEN UV

leg with cover  
anti-scratch  
leg two color  
plastic bag with card  
300pcs 17/16kgs  
68x45x38cm 72000pcs/20'



FBO-CPG09 PC len

4-position adjust length temples  
3-position adjust angle temples  
Comfortable rubber nose pad  
plastic bag with card  
180pcs 9/8kgs  
53x33x57cm 50400pcs/20'



FBO-CPG10 PC len

Non-slip rubber tips  
Anti-fog lens available  
Comfortable rubber nose pad  
plastic bag with card  
180pcs 9/8kgs  
53x33x57cm 50400pcs/20'



FBO-CPG12 PC len

Leg with cover  
Anti-fog lens available  
Comfortable rubber nose pad  
plastic bag with card  
180pcs 9/8kgs  
53x33x57cm 50400pcs/20'



FBO-CPG13 PC len

Leg with cover  
Anti-fog lens available  
Comfortable rubber nose pad  
plastic bag with card  
180pcs 9/8kgs  
53x33x57cm 50400pcs/20'



FBO-CPG16 PC len

Leg can be changed to belt  
3-position adjust angle temples  
Comfortable rubber round full frame  
plastic bag with card  
300pcs 9/8kgs  
53x30x53cm 99600pcs/20'



FBO-D2009

soft PVC frame  
non-slip rubber tips  
plastic bag with card  
100pcs 5/4kgs  
50x34x27cm 61000pcs/20'

## Welding glasses



FBO-A018-1  
4 valves  
plastic bag with card  
100pcs 10/9kgs  
51x38x42cm  
34500pcs/20'



FBO-A018-3  
2 big valves  
with hole on both sides  
plastic bag with card  
100pcs 18/16kgs  
46x41x48cm  
31500pcs/20



FBO-A018-6  
big vision  
plastic bag with card  
100pcs 15/14kgs  
75x39x47cm  
21000pcs/20'



FBO-A021  
4 valves  
plastic bag with card  
100pcs 14/12kgs  
57x39x36cm 35000pcs/20'



FBO-EM100  
auto-darken  
plastic bag with card  
100pcs 19/17kgs  
48x43x50cm 27500pcs/20



FBO-FG14J  
big vision with mesh  
plastic bag with card  
150pcs 16/14kgs  
52x46x63cm 27750pcs/20



FBO-EFP104  
4 valves  
plastic bag with card  
100pcs 8/7kgs  
39x38x44cm 43000pcs/20'



FBO-HF116-1  
big vision 4 valves  
plastic bag with card  
100pcs 10/9kgs  
50x39x47cm 31000pcs/20'



FBO-GH6G  
big view  
plastic bag with card  
150pcs 17/15kgs  
52x46x63cm 28500pcs/20'

## Ear muff

FBO-EM5001

FBO-EM5001B  
CE: SNR:27db  
ANSI: NRR:23db

FBO-EM5001E

FBO-EM5001A

FBO-EM5001D

FBO-EM5001B2

FBO-EM5001C

CE AS/NZS 1270

20pcs 6/5kgs 50x28.5x40cm 9800pcs/20'

FBO-EM5002

FBO-EM5002B  
CE: SNR:32db  
ANSI: NRR:26db

FBO-EM5002E

FBO-EM5002A

FBO-EM5002D

FBO-EM5002B2

FBO-EM5002C

CE AS/NZS 1270

FBO-EM5006A ANSI: NRR:27db  
AS/NZS: 32.3db(class 5)

FBO-EM5006B

FBO-EM5006E


FBO-EM5006

FBO-EM5006C

FBO-EM5006D

ANSI AS/NZS 1270 20pcs 6/5kgs 50x30x40cm 9300pcs/20'



FBO-EM5003  
 CE  AS/NZS  
 CE: SNR:29db  
 ANSI: NRR:23db  
 AS/NZS: SLC:29db  
 (class 5)

20pcs 6/5kgs 55x22x35cm 12860pcs/20'



FBO-EM6001  
 can be folded

20pcs 6/5kgs 51x28x41cm 10000pcs/20'



FBO-EM6002  
 can be folded

20pcs 6/5kgs 51x28x41cm 10000pcs/20'



FBO-EM6003  
 can be folded

20pcs 6/5kgs 51x28x41cm 10000pcs/20'

EN352

# EAR MUFF



FBO-HF600  
ordinary quality  
SNR:20db  
A grade B grade  
50pcs 9/8kgs  
57x40x40cm 15750pcs/20'



FBO-EY2   
high quality  
SNR:27db  
50pcs 13/11kgs  
51x30x49cm 19000pcs/20'



FBO-EY22   
can be folded  
SNR:25db  
50pcs 13/11kgs  
51x30x49cm 19000pcs/20'



FBO-EY21  
SNR:25db  
can be folded  
60pcs 11/9kgs  
58x53x30cm 18180pcs/20'



FBO-EY23   
SNR:27db  
50pcs 9/7kgs  
46x41x50cm 16200pcs/20'



FBO-EY24  
SNR:26db  
can be assembled with  
helmet  
50pcs 11/9kgs  
42x38x70cm 12500pcs/20'



FBO-E3002   
SNR:24db  
50pcs 10 / 8kgs  
68 x 45 x 40cm  
11500pcs / 20'



FBO-JL-E008  
SNR:22db  
50pcs 8 / 6kgs  
59 x 40 x 42cm  
14500pcs / 20'



FBO-GC004   
SNR:24db  
can be folded  
30pcs 8 / 7kgs  
52 x 36 x 42cm  
10800pcs / 20'



FBO-GC017  
SNR:26db  
50pcs 10 / 8kgs  
68 x 45 x 40cm  
11500pcs / 20'



FBO-E3005 **CE**  
SNR:27db  
40pcs 10 / 9kgs  
70 x 39 x 40cm  
10320pcs / 20'



FBO-E3202 **CE**  
60pcs 18 / 16kgs  
53 x 32 x 70cm  
14100pcs / 20'



## Baby Earmuff



FBO-BM-1

**ANSI** AS/NZS 1270

ANSI: NRR:22db


AS/NZS: 25.8db (class 5)

Age range: newborn to 18month

Adjust headband to hold the earmuffs to preventing pressure of babys head

Soft,smooth comfort on baby skin.

To provide a quiet environment for baby.



## Kids Earmuff



Padded headband and ear cups for extended comfort.  
Stainless steel wire for easy personalized fit adjustment.  
Generous space inside cup to help the ears breathe thus improving comfor.  
Professional earmuffs for durability and reliability.  
Available in high visibility colors.  
Customized water transfer printing pattern on muff cups are potional.



**ANSI** AS/NZS 1270



**ANSI** AS/NZS 1270



**ANSI** AS/NZS 1270



FBO-EM5005

ANSI: NRR:25db

AS/NZS: SLC:25.8db (class 5) 40pcs 6/5kgs 55x26x49cm 16000pcs/20'

FBO-EM5005B

can be folded

FBO-KM-2

AS/NZS: 25.8db (class 5)

can be folded

20pcs 6/5kgs 51x28x41cm 10000pcs/20'

FBO-KM-1



EN352

## Ear plug

### Disposable PU



CE ANSI AS/NZS 1270

FBO-EC-1001C SNR34db

size: 13x24mm  
w/o line  
with cotton line  
with pvc line



CE ANSI AS/NZS 1270

FBO-EC-1003C SNR36db

size: 12x25mm  
w/o line  
with cotton line  
with pvc line



CE ANSI AS/NZS 1270

FBO-EC-1005C SNR30db

size: 17x26mm  
w/o line  
with cotton line  
with pvc line


### Reusable Silicone



CE ANSI AS/NZS 1270

FBO-EC-2001C

SNR: 28db  
NRR: 25db  
w/o line  
with cotton line  
with pvc line



CE ANSI AS/NZS 1270

FBO-EC-2002C

SNR: 28db  
NRR: 23db  
w/o line  
with cotton line  
with pvc line



CE ANSI AS/NZS 1270

FBO-EC-2005C

SNR: 25db  
w/o line  
with cotton line  
with pvc line



FBO-EC-2010C  
SNR: 25db  
w/o line

w/o line :  
pvc bag:

round pvc box:

with line :  
pvc bag:

square pvc box:



FBO-EC2016  
ear plug  
distributor  
250 pairs/500 pairs

200pairs/inner box 4000pairs/ctn  
66x42x42cm 960000pairs/20'  
125pairs/inner box 2500pairs/ctn  
66x42x42cm 600000pairs/20'

100pairs/inner box 2000pairs/ctn  
66x42x42cm 480000pairs/20'  
100pairs/inner box 2000pairs/ctn  
66x42x42cm 480000pairs/20'

Without active carbon

CE/NIOSH/AS NZS/FDA/DS2

Standard:

European: EN149: FFP1 FFP2 FFP3

American: NIOSH: N95 N99 FDA

Australia: AS/NZS: 1716:1994

Japan: DS2

1. Low breathing resistance with high filtration efficiency. Loaded polylene material without any toxic, irritating, stimulant, poison.
2. Adjustable nosepiece and inner foam provide a custom seal for different facial sizes.
3. Easy-breathing exhalation valve with silicon piece inside designed to facilitate air exchange, increase worker comfort.
4. Special 3-layers pleated design, high filtration and static electricity material, to resist normal toxic and tiny micron particle.
5. Stited to mining, building, grinding drugs, casting, agriculture, farming, electronic, food processing, cement textile, distintegration, carving, heavy metal pollution, gardening, glass...etc workshops



CE ANSI AS/NZS 1270

FBO-DTC3W

non-woven fabrics

20pcs/box 400pcs/ctn 6/5kgs

62x27x34cm 501 ctns/20'



CE ANSI AS/NZS 1270

FBO-DTC3W-F

non-woven fabrics

20pcs/box 400pcs/ctn 7/6kgs

62x27x52cm 327 ctns/20'



CE ANSI AS/NZS 1270

FBO-DTC3M

needle punched cotton

20pcs/box 400pcs/ctn 6/5kgs

62x27x34cm 501 ctns/20'



CE ANSI AS/NZS 1270

FBO-DTC3M-F

20pcs / box 400pcs / ctn 7 / 6kgs

64 x 29 x 52cm 305ctns / 20'



CE ANSI AS/NZS 1270

FBO-DTC3M-1

20pcs / box 400pcs / ctn 7 / 6kgs

64 x 29 x 52cm 305ctns / 20'



CE ANSI AS/NZS 1270

FBO-DTC3M-1F

20pcs / box 400pcs / ctn 7 / 6kgs

64 x 29 x 52cm 305ctns / 20'

# DUST MASK

N95,N99,EN149



CE ANSI AS/NZS 1270

**FBO-DTC3B**  
non-woven fabrics  
20pcs/box 800pcs/ctn 9/8kgs  
52x42x52cm 225ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3B-F**  
non-woven fabrics  
10pcs/box 400pcs/ctn 11/10kgs  
52x42x58cm 225ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3I**  
needle punched cotton  
20pcs/box 400pcs/ctn 10/9kgs  
70x30x38cm 360ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3I-F**  
needle punched cotton  
10pcs/box 200pcs/ctn 10/9kgs  
70x30x38cm 360ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3C**  
non-woven fabrics  
20pcs/box 400pcs/ctn 6/5kgs  
70x31x34cm 389ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3C-F**  
non-woven fabrics  
20pcs/box 400pcs/ctn 9/8kgs  
70x31x52cm 254ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3A**  
needle punched cotton  
20pcs/box 400pcs/ctn 10/9kgs  
70x31x34cm 389ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3A-F**  
needle punched cotton  
10pcs/box 200pcs/ctn 7/6kgs  
70x31x30cm 441ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3X**  
non-woven fabrics  
20pcs/box 800pcs/ctn 11/10kgs  
62x28x52cm 265ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTC3X-F**  
non-woven fabrics  
10pcs/box 400pcs/ctn 10/9kgs  
62x28x56cm 293ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTCA1**  
non-woven fabrics  
10pcs/box 200pcs/ctn 5/4kgs  
70x31x40cm 331ctns/20'



CE ANSI AS/NZS 1270

**FBO-DTCA1-F**  
non-woven fabrics  
5pcs/box 100pcs/ctn 6/5kgs  
70x31x34cm 389ctns/20'

# DUST MASK

N95,N99,EN149



FBO-DZ17V **Japan design holder high quality dust mask**  
**self priming filtertype respirator**

- \* four layer material, 3D three-dimensional comfortable wear
- \* first polypropylene spinning
- second electret polypropylene PPEM filtration material
- third anti-static non-woven needle punched cotton
- fourth polypropylene spinning
- \* inner circle: seal ring elastic cotton fabric. very comfortable
- \* anti-fog, no impress, best fit to the face, easy adjustable, easy breathing, anti-bacterial, 99% filtration more efficient
- \* 95% filtration PM2.5

**With active carbon**

**CE/NIOSH/AS NZS/FDA/DS2**

Standard:

European: EN149: FFP1 FFP2 FFP3

American: NIOSH: N95 N99 FDA

Australia: AS/NZS: 1716:1994

Japan: DS2

1. Low breathing resistance with high filtration efficiency. Loaded polyene material without any toxic, irritating, stimulant, poison.
2. Adjustable nose piece and inner foam provide a custom seal for different facial sizes.
3. Easy-breathing exhalation valve with silicon piece inside designed to facilitate air exchange, increase worker comfort.
4. Special 4-layers pleated design, high filtration and static electricity material, high efficient active carbon cloth to resist low toxic, pre-filter against nuisance organic acid vapors.
5. Suited to chemical, chemistry solution, printing ink, dyeing, auto building, ships building, electronic, food, manufacturers, processing, environmental sterilizing, and worse workshops.

N95,N99,EN149

# DUST MASK



CE ANSI AS/NZS 1270

FBO-DAC4  
non-woven fabrics  
20pcs/box 400pcs/ctn 6/5kgs  
62x27x34cm 501 ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4-F  
non-woven fabrics  
20pcs/box 400pcs/ctn 7/6kgs  
62x27x52cm 327 ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4M  
non-woven fabrics  
20pcs/box 400pcs/ctn 6/5kgs  
62x29x34cm 466 ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4M-F  
non-woven fabrics  
20pcs/box 400pcs/ctn 7/6kgs  
64x29x52cm 305 ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4M-O  
needle punched cotton  
20pcs/box 400pcs/ctn 6/5kgs  
62x29x34cm 468ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4-OF  
needle punched cotton  
20pcs/box 400pcs/ctn 7/6kgs  
62x26x52cm 327 ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4M-1  
non-woven fabrics  
20pcs/box 400pcs/ctn 6/5kgs  
70x31x34cm 389ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4M-1F  
non-woven fabrics  
20pcs/box 400pcs/ctn 9/8kgs  
70x31x52cm 254ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4X  
non-woven fabrics  
20pcs/box 800pcs/ctn 11/10kgs  
62x28x52cm 265ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4X-F  
10pcs/box 400pcs/ctn 10/9kgs  
62x28x56cm 293ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4B  
20pcs/box 800pcs/ctn 9/8kgs  
52x42x52cm 225ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4B-F  
non-woven fabrics  
10pcs/box 400pcs/ctn 11/10kgs  
52x42x58cm 225ctns/20'

# DUST MASK

N95,N99,EN149



CE ANSI AS/NZS 1270

FBO-DAC4P-O  
needle punched cotton  
20pcs/box 400pcs/ctn 10/9kgs  
70x30x38cm 360ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4O-OF  
needle punched cotton  
10pcs/box 200pcs/ctn 10/9kgs  
70x30x38cm 360ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4C  
non-woven fabrics  
20pcs/box 400pcs/ctn 6/5kgs  
70x31x34cm 389ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4C-F  
non-woven fabrics  
20pcs/box 400pcs/ctn 9/8kgs  
70x31x52cm 254ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4A  
needle punched cotton  
20pcs/box 400pcs/ctn 10/9kgs  
70x31x34cm 389ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4A-F  
needle punched cotton  
10pcs/box 200pcs/ctn 7/6kgs  
70x31x30cm 441ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4A1  
needle punched cotton  
20pcs/box 400pcs/ctn 10/9kgs  
70x30x38cm 360ctns/20'



CE ANSI AS/NZS 1270

FBO-DAC4A1-F  
needle punched cotton  
20pcs/box 400pcs/ctn 10/9kgs  
70x30x38cm 360ctns/20'

Light type



CE ANSI AS/NZS 1270

FBO-CFD3S  
non-woven fabrics  
12pcs/box 240pcs/ctn 5/3kgs  
50x40x30cm 432ctns/20'



CE ANSI AS/NZS 1270

FBO-CFD3V  
non-woven fabrics  
6pcs/box 120pcs/ctn 5/3kgs  
67x27x37cm 425ctns/20'



CE ANSI AS/NZS 1270

FBO-CFD901C  
non-woven fabrics  
12pcs/box 240pcs/ctn 5/3kgs  
50x40x30cm 432ctns/20'



CE ANSI AS/NZS 1270

FBO-CFD901V  
non-woven fabrics  
12pcs/box 240pcs/ctn 5/3kgs  
50x40x30cm 432ctns/20'

N95,N99,EN149

## Disposable mask



FBO-DCW  
 polypropylene terylene  
 100g-240g 250g  
 50pcs/box 20box/ctn 4/3kgs  
 60x24x28cm 14200box/20'

## Set mask



FBO-HF203  
 10pcs/set blister card  
 100set 5/4kgs  
 47x33x60cm 30000set/20'



FBO-HF205  
 5pcs/set plastic bag  
 200set 6/4kgs  
 65x32x34cm 80000set/20'

## Square mask



FBO-FEAC4  
 4 layers with active carbon  
 ear-loop  
 50pcs/box 20 box/ctn  
 6/5kgs 52x38x26cm 11200box/20'



FBO-FT  
 2/3 layers w/o active carbon  
 ear-loop  
 50pcs/box 20 box/ctn  
 5/4kgs 52x38x18cm 17000box/20'

## PVC mask



FBO-HF201  
 plastic bag with card  
 200pcs 6/5kgs  
 39x35x39cm 93000pcs/20'



FBO-HF202  
 replacing slice  
 plastic bag with card  
 200pcs 7/6kgs  
 50x36x40cm 78000pcs/20'



FBO-HF206  
 replacing slice  
 plastic bag with card  
 200pcs 8/6kgs  
 47x46x40cm 65000pcs/20'

# RESPIRATOR

EN140 / EN14387

## Respirator




FBO-C1303

color: black  
 color box: 50pcs 9/7.5  
 60x26.5x42 21000pcs/20'  
 blister card: 48pcs 9/7  
 51x43x32 19200pcs/20'



FBO-C2305

color: black/blue/green  
 color box: 50pcs 11/9.5  
 60x26.5x49 18000pcs/20'  
 blister card: 48pcs 9/7  
 51x44x36 16800pcs/20'



FBO-2GM-2G

(one YF-EFP104)  
 color: black/blue/green  
 blister card: 24pcs 12/10  
 55x44x36 7800pcs/20'



FBO-C1304

color: black  
 color box: 50pcs 13/11  
 60x26.5x49 18000pcs/20'  
 blister card: 36pcs 10/8  
 52x42x41 11160pcs/20'



FBO-C2306

color: black/blue/green  
 color box: 30pcs 10/8  
 50x33x42 12150pcs/20'  
 blister card: 40pcs 15/13  
 54x43x43 11200pcs/20'



FBO-2GM-22G

(one YF-EFP104)  
 color: black/blue/green  
 blister card: 24pcs 14/12  
 60x44x36 7200pcs/20'



FBO-2PC03

2pcs/set  
 blister card /hang card  
 free combination

## Cartridge



FBO-RC101	for dust suit for C1303/C1304
FBO-RC201	for dust suit for C2305/C2306
FBO-RC202	for fume suit for C2305/C2306
FBO-RC203	for poison suit for C2305/C2306
FBO-RC206	for acid suit for C2305/C2306
FBO-RC209	for farm chemical suit for C2305/C2306
FBO-RC101	12pcs/box 480pcs 7/5kgs 39x36x29cm 331200pcs/20'
FBO-RC201	6pcs/box 300pcs 6/4kgs 39x39x39cm 142500pcs/20'
FBO-RC202	6pcs/box 300pcs 6/4kgs 39x39x39cm 142500pcs/20'
FBO-RC203	6pcs/box 300pcs 6/4kgs 39x39x39cm 142500pcs/20'
FBO-RC206	6pcs/box 300pcs 6/4kgs 39x39x39cm 142500pcs/20'
FBO-RC209	6pcs/box 300pcs 6/4kgs 39x39x39cm 142500pcs/20'





FBO-2005



FBO-2006

Suit with #3/#4/#6/#7  
 suit with fume filter content  
 color box:50pcs 62x29x57cm 13000pcs/20'



FBO-SR800A

High quality



FBO-FFB

Material:non-toxic rubber  
 five point strap  
 big range of vision PC lens  
 resisting scratch,fog,and impact  
 comfortably wear sense,  
 soft and durable  
 Multirole connector  
 speech diaphragm,  
 permit a clear communication  
 suit for working in variety of  
 industrial environment  
 sand temperatures.

10pcs 10/9kgs  
 78.3x26.7x42cm 3200pcs/20'



FBO-M600

Material:silicone  
 five pont head strap  
 low inward leakage  
 comfortably  
 wear-sense  
 full range of vision  
 3-position for connector  
 provides the condensing  
 water connection  
 especially for military,  
 police,emergency salvation,  
 and for a long time.

10pcs 9/8kgs  
 78x27x42cm 3180pcs/20'



FBO-C300 20pcs 7/6kgs 52x41x22cm 12000pcs/20'  
 #1: green: approved for hydrocyanic acid, cyanogen chloride, cyanogen arsenide,  
 phosgene, diphosgene, benzene, dichloromethane, yperite  
 #3: brown: approved for organic vapors  
 #4: grey: approved for ammonia and hydrogen sulphide  
 #7: yellow: approved for chlorine, sulfur dioxide, nitrogen oxide,  
 hydrogen sulphide (escape only)



FBO-2010

A1:brown  
 Approved for organic gases & vapours  
 with a boiling point <65°C  
 E1: yellow  
 Approved for sulphur dioxide  
 and other acidic gases & vapours  
 150pcs 19/18kgs 53x21.5x37cm 99750pcs/pc



FBO-DR1010

Used together with  
 SR800 dust respirator  
 150pcs 19/18kgs  
 53x21.5x37cm 99750pcs/pc

CE EN 14387

## Welding mask



CE

FBO-JL-A003

Germany type  
ordinary len type (108x50x3mm)  
25pcs 13/12kgs  
52x45x52cm 5750pcs/20'



CE

FBO-JL-A002

Taiwan type  
ordinary len type  
(108x50x3mm)  
25pcs 14/13kgs  
47x45x49cm 6750pcs/20'



CE

FBO-SCAL

handhold outer handle  
(108x50x3mm)  
50pcs 16/14kgs  
79x24x62cm 12000pcs/20'



CE

FBO-JL-A013

handhold inner handle  
(108x50x3mm)  
40pcs 16/15kgs  
61x28x37cm 17720pcs/20'



FBO-HF403

handhold inner handle  
(108x50x3mm)  
50pcs 19/18kgs  
49x44x40cm 16250pcs/20'



FBO-HF401

handhold outer handle  
(108x50x3mm)  
50pcs 19/18kgs  
49x44x40cm 16250pcs/20'



CE

FBO-JL-D006

with Alu.bound  
PVC/PC visor  
headband clear splash proof  
40pcs 10/9kgs  
53x42x64cm 8200pcs/20'



CE

FBO-JL-D036

screen mesh shield  
40pcs 10/9kgs  
53x42x64cm 8200pcs/20'



CE

FBO-JL-A007

hardcap (108x50x3mm)  
50pcs 20/18kgs  
70x56x50cm 7250pcs/20'

EN175



FBO-JL-D002

visor and holder

100pcs 23/22kgs  
51.5x42x50.5cm 26000pcs/20'



FBO-CF2

visor holder (PVC/alu.)

100pcs 14/12kgs  
55x44x28cm 41500pcs/20'



FBO-E4003

headgear faceshield  
and helmet and ear muff  
12sets 13/12kgs  
60x48x56cm 2136sets/20'



FBO-D1001-1

material:  
PC/PVC with ALU edge  
size 8"x15.5"x1mm  
color:clear and dark  
125pcs/ctn 17/15kg  
61x33x23cm  
73750pcs/20'



FBO-D1001-2


material:  
PC/PVC without ALU edge  
size 8"x15.5"x1mm  
color:clear and dark  
125pcs/ctn 17/15kg  
61x33x23cm  
73750pcs/20'



FBO-D1001-3

material:mesh  
size 8"x15.5"x1mm  
color:black  
200pcs/ctn 14/12kg  
54x41x22cm  
115000pcs/20'

## Len



FBO-TH1 #5-#14

50mmx1.9mm black  
1000pcs 15/14kgs  
38x32x13cm  
1200000pcs/20'



FBO-TH2

50mmx1.5mm clear  
1500pcs 22/20kgs  
32x32x13cm  
1230000pcs/20'



FBO-TH4

108x50x2mm clear  
110x50x2mm clear  
600pcs 13/11kgs  
38x26x13cm  
831000pcs/20'  
600pcs 15/14kgs  
37x24x13cm  
771000pcs/20'



FBO-TH3 #9-#14

108x50x3mm black  
110x50x3mm black  
110x80x3mm black  
500pcs  
21/20kgs 38x32x13cm  
434000pcs/20'

## Auto Darken

Certificate: CE ANSI

Surface finish treatment: black, painting, heat transfer printing

Packing: one piece with inner bag/color box

4pcs/ctn 5kgs/2kgs 54x54x32cm 1224pcs/20'

Special: one more piece ADF filter can be free of charge



FBO-1000B



FBO-800K



FBO-745



FBO-606



FBO-603



FBO-539



FBO-431



FBO-303



FBO-261



FBO-125



FBO-100



FBO-EH-985I

EN175

ADF series



power on/off: Automatic  
 power supply: solar cell and two 3v lithium batteries  
 operating temperature: -10°C ~ +55°C  
 storage temperature: -20°C ~ +70°C  
 material: ABS



**FBO-EF9030**  
 frame size: 108x50x6mm  
 view area: 90x30mm  
 range of UV/IR protection: up to shade DIN14 at all time  
 light shade: DIN3  
 dark shade: DIN 9 or DIN 11 **can't adjustment**  
 switching time: (light to dark): 1/20000s  
 switching time: (dark to light): 0.2-0.4s  
**sensivity: no**  
 weight: 0.06kgs  
 packing: 300pcs/ctn 19/18kgs 43x34.5x46cm



**FBO-EF9040**  
 frame size: 110x90x9mm  
 view area: 92x42mm  
 range of UV/IR protection: up to shade DIN16 at all time  
 light shade: DIN4  
 dark shade: DIN 9 or DIN 13, **external adjustment**  
 switching time: (light to dark): 1/25000s  
 switching time: (dark to light): 0.2-0.4s  
 sensitivy: low or high  
 weight: 0.118kgs  
 packing: 200pcs/ctn 24.8/23.6kgs 43x34.5x46cm



**FBO-EF9242 Hight-quality LCD**  
 frame size: 110x90x9mm  
 view area: 92x42mm  
 range of UV/IR protection: up to shade DIN16 at all time  
 light shade: DIN4  
 dark shade: DIN 9 or DIN 13, **external adjustment**  
 switching time: (light to dark): 1/30000s  
 switching time: (dark to light): 0.2-0.4s  
 sensitivy: low or high  
 weight: 0.118kgs  
 packing: 200pcs/ctn 24.8/23.6kgs 43x34.5x46cm



**FBO-EF9242F Hight-quality LCD**  
 frame size: 110x90x9mm  
 view area: 92x42mm  
 range of UV/IR protection: up to shade DIN16 at all time  
 light shade: DIN4  
 dark shade: DIN 9 or DIN 13, external adjustment  
 switching time: (light to dark): 1/30000s  
 switching time: (dark to light): 0.1-1s steplessly adjustable  
 sensitivy: low or high steplessly adjustable  
 mode: weld/grind  
 weight: 0.12kgs  
 packing: 200pcs/ctn 25.2/24kgs 43x34.5x46cm



**FBO-EF9844 Hight-quality LCD**  
 frame size: 110x90x9mm  
 view area: 98x44mm  
 range of UV/IR protection: up to shade DIN16 at all time  
 light shade: DIN4  
 dark shade: DIN 9 or DIN 13, **external adjustment**  
 switching time: (light to dark): 1/30000s  
 switching time: (dark to light): 0.1-1s steplessly adjustable  
 sensitivy: low or high steplessly adjustable  
 mode: weld/grind  
 weight: 0.122kgs  
 packing: 200pcs/ctn 25.2/24kgs 43x34.5x46cm



**FBO-EF10053 Hight-quality LCD**  
 frame size: 110x90x9mm  
 view area: 100x53mm  
 range of UV/IR protection: up to shade DIN16 at all time  
 light shade: DIN3  
 dark shade: DIN 5-9 or DIN 9-13, external adjustment  
 switching time: (light to dark): 1/30000s  
 switching time: (dark to light): 0.1-1s steplessly adjustable  
 sensitivy: low or high steplessly adjustable  
 arc sensor: 4 low volum alarm ADF self-check  
 mode: weld/grind  
 weight: 0.126kgs  
 packing: 200pcs/ctn 26.4/25.2kgs 43x34.5x46cm

# KNEE PADS

EN14404



FBO-77-737

Material:PP420D + oxford

Feature:

- 1.light weight, durable knee protection
- 2.heavy plastic caps on front for easy knee swiveling
- 3.comfortable, double elastic straps with easy-on/off fasteners for good fit

Packing: plastic bag with card

30pairs 7/6kgs 47x26x78cm 8850pairs/20'



FBO-77-740



Material:PVC + oxford

Feature:

- 1.quilted inner, padding for comfort
- 2.secure fastening mark resistant grippers

Packing: plastic bag with card

20pairs 9/8kgs 70x62x24cm 5400pairs/20'



FBO-77-743

Material:oxford

Feature:

light weight structure makes it easy and comfortable to move

Packing: plastic bag with card

20pairs 6/5kgs 74x67x26cm 4400pairs/20'

FBO-77-751



Material:PU + oxford

Feature:

- 1.slip resistant grip cap provides better strength on floors
- 2.special gel foam increases comfort for the knee and longer usage
- 3.high-quality flexible neoprene straps
- 4.suitable for using on all kinds of surfaces

Packing:

bag: 20pairs 11/10kgs 74x72x23cm 4700pairs/20'

color box:12pairs 8/7kgs 62x58x25cm 3780pairs/20'



FBO-77-753A

Material: PU + oxford

Feature:

- 1.super thick 1/2"high density, closed cell foam
- 2.large caps are over sized for more protective coverage
- 3.neoprene lower straps securebe the knee for comfort all day long
- 4.used by masons, roofers and professionals of all trades
- 5.can be included gel

Packing:

bag: 20pairs 13/12kgs 70x67x25cm 4800pairs/20'

color box:12pairs 9/8kgs 62x54x25cm 4020pairs/20'



FBO-77-768

Material:PU

Feature:

- 1.soft,comfortable and light weight
- 2.good for all knids of home and garden works

Packing:plastic bag with card

36pairs 11/9kgs 59x39x38cm 11520pairs/20'



## Sports protection series



FBO-SPA1



FBO-SPH1



FBO-SPK4



FBO-SPC1



FBO-SPS1



FBO-SPK2



FBO-SPK3



FBO-SPG1



FBO-SF212



FBO-SF213



FBO-F210 back support belt  
 Material:oxford  
 1.high quality elastic support belt  
 2.fully support back strength while doing heavy duty jobs  
 3.use to reduce repetitive back strain  
 Size: S (28"-32") M (32"-38")  
 L (38"-47") XL (46"-56")  
 Packing: blister card  
 24pcs 8.5/7.5kgs 50x32x33cm 12960pcs/20'



FBO-F211 back support belt  
 Material:oxford  
 1.high quality elastic support belt  
 2.fully support back strength while doing heavy duty jobs  
 3.use to reduce repetitive back strain  
 Size: S (28"-32") M (32"-38")  
 L (38"-47") XL (46"-56")  
 Packing: blister card  
 24pcs 8.5/7.5kgs 50x32x33cm 12960pcs/20'





# LEATHER TOOL BAG

## Leather tool bag



FBO-B005  
Material: cow split leather  
Color: yellow  
100pcs 24/23kgs  
44x23x68cm 41000pcs/20'



FBO-B008  
Material: cow split leather  
Color: yellow  
80pcs 24/23kgs  
44x23x68cm 32800pcs/20'



FBO-B055  
Material: cow split leather  
Color: yellow  
40pcs 24/23kgs  
44x23x68cm 16400pcs/20'



FBO-B003  
Material: cow split leather  
Color: yellow  
100pcs 24/23kgs  
44x23x68cm 41000pcs/20'



FBO-B018  
Material: cow split leather  
Color: yellow  
80pcs 24/23kgs  
44x23x68cm 32800pcs/20'



FBO-B062  
Material: cow split leather  
Color: yellow  
40pcs 24/23kgs  
44x23x68cm 16400pcs/20'

## Canvas tool bag



FBO-B201  
Material: canvas  
Color: yellow  
100pcs 22/21kgs  
44x21x70cm 40000pcs/20'



FBO-B219  
Material: canvas  
Color: black  
40pcs 21/20kgs  
44x46x57cm 10000pcs/20'



FBO-B302  
Material: canvas  
Color: yellow  
40pcs 24/23kgs  
44x23x68cm 16400pcs/20'

# LEATHER TOOL BAG



**FBO-B215**  
 Material: canvas  
 Color: orange  
 50pcs 15/14kgs  
 36 x 50 x 65cm 12000pcs/20'



**FBO-SR1**  
 Material: polyester 600D  
 Size: 26x17x32cm  
 Maximum capacity: 15kgs  
 20pcs 18/17kgs  
 48 x 42 x 36cm 7700pcs/20'



**FBO-SR2**  
 Material: polyester 600D  
 Size: 22x9x26cm  
 Maximum capacity: 15kgs  
 20pcs 18/17kgs  
 45 x 41 x 46cm 6500pcs/20'



**FBO-SR3**  
 Material: polyester 600D  
 Size: 58X34cm  
 20pcs 18/17kgs



**FBO-B182**  
 Material: canvas  
 Color: orange  
 100pcs 16/15kgs



**FBO-B305**  
 Material: canvas  
 Color: orange  
 50pcs 15/14kgs



**FBO-SR4**  
 Material: polyester 600D  
 Size: 31x25cm, 31x23cm  
 Maximum capacity: 15kgs  
 10pcs 24/23kgs  
 60 x 30 x 44cm 3500pcs/20'



**FBO-SR5**  
 Material: polyester 600D  
 Size: 30x30cm,  
 23x25cm, 30x30cm  
 Maximum capacity: 15kgs  
 10pcs 24/23kgs  
 49 x 33 x 63cm 2750pcs/20'



**FBO-SR6**  
 Material: polyester 600D  
 Size: 30x30cm,  
 23x25cm, 30x30cm  
 Maximum capacity: 15kgs  
 10pcs 24/23kgs  
 49 x 33 x 63cm 2750pcs/20'

# LEATHER TOOL BAG



FBO-B405

Material:polyster 600D  
Size:42x30x25cm  
internal pockets 9pcs  
exterior pockets 15pcs



FBO-B401

Material:polyster 300D  
Size:42x30x25cm  
internal pockets 9pcs  
exterior pockets 15pcs



FBO-BR3

Material:polyster 300D  
Size:42x30x25cm  
internal pockets 9pcs  
exterior pockets 15pcs



FBO-BR1

Material:polyster 600D  
Size:49x27x36cm  
Maximum capalty:20kgs  
4pcs 16/15kgs  
65X55X50cm 625pcs/20'



FBO-BR2

Material:polyster 600D  
Size:41x20x30cm  
Maximum capalty:15kgs  
8pcs 24/23kgs  
41X30X41cm 4440pcs/20'



FBO-BR6

Material:polyster 600D  
Size:40 x 28 x 27cm



FBO-BR7

27L packback-pvc bottom  
Size:46x16X37cm  
Material:polyster 600D  
Maximum capalty:15kgs  
6pcs/ctn  
49 x 44 x 63cm 1240pcs/20'



FBO-BR8

14"rolling tool bag with  
plastic trolley-back-pack  
Size:36x25X54cm  
Material:polyster 600D  
Maximum capalty:25kgs  
4pcs/ctn  
65 x 60 x 30cm 960pcs/20'



FBO-BR9

16.5"tool bag with seat  
Size:42x29X31cm  
Material:polyster 600D  
Maximum capalty:80kgs  
10pcs/ctn  
50 x 39 x 44cm 3263pcs/20'

# LEATHER TOOL BAG

## TOOL VEST



FBO-VR1  
Material 600D  
Size: 66 x 51cm



FBO-VR2  
Material 600D  
Size: 66 x 51cm



FBO-VR3  
Material 600D  
Size: 66 x 51cm

## ICE BAG



FBO-IR1  
Material 1680D Polyester+10mm  
PE foam+PVC lining  
Size:18 x 15 x 26cm  
Maximum capacity 10kg



FBO-IR2  
Material 600D Polyester+4mm  
PE foam+PVC lining  
Size:24 x 14 x 16.5cm  
Maximum capacity 10kg



FBO-IR3  
Material 600D Polyester+8mm  
PE foam+PVC lining  
Size:24 x 14 x 21cm  
Maximum capacity 10kg



FBO-IR4  
Material 600D Polyester+8mm  
PE foam+PVC lining  
Size:24 x 14 x 21cm  
Maximum capacity 10kg



FBO-IR5  
Material 600D Polyester+8mm  
PE foam+PVC lining  
Size:23 x 14.5 x 14.5cm  
Maximum capacity 10kg



FBO-IR6  
Party Bucket  
Material 600D Polyester  
Fits into a five gallon bucket  
Ten pockets in total

# LEATHER TOOL BAG

## Leather apron



FBO-C048

Material:cow split leather  
50pcs 20/19kgs  
40x30x50cm  
23500pcs/20'



FBO-C045

Material:cow split leather  
50pcs 20/19kgs  
40x30x50cm  
23500pcs/20'



FBO-C020

Material:cow split leather  
50pcs 20/19kgs  
40x30x50cm  
23500pcs/20'



FBO-HD812

Material:cow split leather  
Size:36"x24"42"x 24"  
30pcs 19/18kgs  
63x36x36cm  
10350pcs/20'



FBO-C003

Material:cow split leather  
Jacket: full or back half  
10pcs 13/12kgs  
60x28x26cm 6410pcs/20'



FBO-C005

Material: cow split leather  
Jacket: full or back half  
10pcs 13/12kgs  
60x28x26cm 6410pcs/20'



FBO-HD811

Material: cow split leather  
Jacket  
10pcs 13/12kgs  
60x28x26cm 6410pcs/20'



FBO-C075

Material: cow split leather  
60pcs 20/18kgs  
48x25x40cm  
35700pcs/20'



FBO-HD813

Material:cow split leather  
40pairs 16/15kg  
58x28x36cm 19200pairs/20'



FBO-C089

Material:cow split leather  
60pcs 22/21kgs  
44x27x50cm 28800pcs/20'



FBO-C095

Material:cow split leather  
60pairs 20/19kgs  
40x30x50cm 28200pcs/20'



FBO-C100

Material:cow split leather  
60pairs 18/17kgs  
40x30x50cm 28200pcs/20'



FBO-JE1047

Material: 45mm terylene  
 Color: two color (orange/blue)  
 Straps adjust: 5 adj.buckles (two legs, three chest up/down left/right)  
 Rings: 1ring (one ring on back)  
 PVC card: one black PVC card on back  
 Type: for legs and for shoulders and for chest straps  
 Rope: no  
 Hook: no  
 Color box: 10pcs 14/13kgs 54x27x42cm 4600pcs/20'



FBO-JE1059B

Material: 45mm terylene  
 Color: two color (orange/blue)  
 Straps adjust: 3 adj.buckles (two legs one chest left/right)  
 Rings: 3rings (one ring on back two waist)  
 PVC card: one black PVC card on back  
 Type: for legs and for shoulders and for chest straps and for waist  
 Rope: no  
 Hook: no  
 Color box: 10pcs 12/11kgs 54x27x42cm 4600pcs/20'



FBO-JE1058

Material: 45mm terylene  
 Color: two color (orange/blue)  
 Straps adjust: 2 adj.buckles (two leg loops)  
 Buckle: 1 PE material buckle type chest strap  
 Pad: 1 plastic pad on the cross of chest strap and shoulder strap  
 Rings: 1 rings (one ring on back)  
 PVC card: one black PVC card on back  
 Type: for legs and for shoulders and for chest straps  
 Rope: no  
 Hook: no  
 Color box: 15pcs 17/16kgs 54x27x42cm 4600pcs/20'



FBO-JE1074

Material: 45mm terylene  
 Color: two color (orange/blue)  
 Straps adjust: 5 adj.buckles (two leg, two shoulder one chest up/down)  
 Rings: 3 rings (one ring on back and two rings on waist )  
 PVC card: one blue PVC card on back  
 Type: for legs and for shoulders and for chest straps  
**Waist belt: one big black sponge belt with waist belt**  
 Rope: no  
 Hook: no  
 Color box: 10pcs 14/13kgs 54x27x42cm 4600pcs/20'

EN361/EN355



FBO-JE1119

Material: 45mm terylene  
 Color: one color (orange)  
 Straps adjust: 5 adj. buckles (two legs two shoulder one chest)  
 Rings: 1 rings (one ring on back)  
 PVC card: one black PVC card on back  
 Type: for legs and for shoulders and for chest straps

**Prismatic tape: on the belt**

Rope: no  
 Hook: no  
 Non-woven: 10pcs 15/14kgs 54x27x42cm 4600pcs/20'



FBO-JE113048A

Material: 45mm terylene  
 Color: two colors (yellow/black)  
 Straps adjust: 3 adj. buckles (two legs one chest left/right)  
 Rings: 1 ring (one forged ring on back)  
 PVC card: one big PVC card on back  
 Type: for legs and for shoulders straps and for chest straps

Rope: no  
 Hook: no  
 Non-woven: 10pcs 15/14kgs 54x27x42cm 4600pcs/20'



FBO-JE135051

Material: 45mm terylene  
 Color: two colors (yellow/black)  
 Straps adjust: 5 adj. buckles (two legs two shoulders one chest)  
 Rings: 3 rings (one ring on back and two rings on leg)  
 PVC card: one big PVC card on back  
 Type: for legs and for shoulders and for chest straps  
 Rope: no  
 Hook: no  
 Non-woven: 10pcs 15/14kgs 54x27x42cm 4600pcs/20'



FBO-JE138141B

Material: 45mm terylene  
 Color: two color (red/black)  
 Straps adjust: 6 adj. buckles (two legs two shoulders one chest one waist)  
 Rings: 3 rings (one ring on back two rings on waist)  
 PVC card: one blue PVC card on back  
 Type: for legs and for shoulders and for chest straps  
**Waist belt: one big black sponge belt with waist belt Two black sponge belts on the legs**  
 Rope: no  
 Hook: no  
 Color box: 10pcs 13/12kgs 54x27x42cm 4600pcs/20'

# SAFETY HARNESS

EN361/EN355



FBO-TE5101



Material: 45mm terylene  
 Color: two color (red/yellow)  
 Straps adjust: 3 adj.buckles (two legs, one chest up/down left/right)  
 Rings: 1ring (one **forged** ring on back)  
 PVC card: one black PVC card on back  
 Type: for legs and for shoulders and for chest straps  
 Rope: no  
 Hook: no  
 Color box: 10pcs 14/13kgs 54x27x42cm 4600pcs/20'



FBO-KALAM3

Material: 45mm terylene  
 Color: two color (yellow/red)  
 Straps adjust: 3 adj.buckles (two legs one chest left/right)  
 Rings: 1ring (one ring on back)  
 PVC card: one red PVC card on back  
 Type: for legs and for shoulders and for chest straps  
 Rope: two 1.8m belt  
 Hook: two big hook  
 Color box: 10pcs 12/11kgs 54x27x42cm 4600pcs/20'



FBO-TE5104

Material: 45mm terylene  
 Color: two color (red/yellow)  
 Straps adjust: 5 adj.buckles (two leg, two shoulder one chest)  
 Rings: 2 rings (one ring on back and one ring on chest)  
 PVC card: one red PVC card on back  
 Type: for legs and for shoulders and for chest straps  
 Rope: no  
 Hook: no  
 Color box: 15pcs 17/16kgs 54x27x42cm 4600pcs/20'



FBO-KALAM

Material: 45mm terylene  
 Color: two color (red / yellow)  
 Straps adjust: 5 adj.buckles (two leg, two shoulder one chestup / down)  
 Rings: 3 rings (one ring on back and two rings on shoulders)  
 PVC card: one color PVC card on back  
 Type: for legs and for shoulders and for chest straps  
 Rope: two 1.8m belt  
 Hook: two big hook  
 Color box: 10pcs 14 / 13kgs 54x27x42cm 4600pcs / 20'





FBO-TE5109



Material: 45mm terylene  
 Color: two colors (yellow/blue)  
 Straps adjust: 5 adj.buckles (two legs two shoulders one chest up/down left/right)  
 Rings: 1 rings (one **forged** ring on back)  
 PVC card: one color PVC card on back  
 Type: for legs and for shoulders straps and for chest straps

Rope: no  
 Hook: no  
 Color box: 10pcs 15/14kgs 54x27x42cm 4600pcs/20'



FBO-TE5124A



Material: 45mm terylene  
 Color: two color (red/yellow)  
 Straps adjust: 6 adj.buckles (two legs two shoulders one chest one waist)  
 Rings: 3 rings (one **forged** ring on back two **forged** rings on waist)  
 PVC card: one red PVC card on back  
 Type: for legs and for shoulders and for chest straps

Waist belt: one big black sponge belt with waist belt  
 Rope: no  
 Hook: no  
 Non-woven: 10pcs 15/14kgs 54x28x30cm 4600pcs/20'



FBO-TE5117A

Material: 45mm terylene  
 Color: two colors (yellow/blue)  
 Straps adjust: 4 adj.buckles (two legs two shoulders )  
 Rings: 4 rings (one **forged** ring on back one rings on the chest two on the bodysides)  
 PVC card: one color PVC card on back  
 Type: for legs and for shoulders straps

Rope: no  
 Hook: no  
 Color box: 10pcs 15/14kgs 54x27x42cm 4600pcs/20'



FBO-TE5120A

Material: 45mm terylene  
 Color: two color (red/yellow)  
 Straps adjust: 5 adj.buckles (two legs two shoulders one chest)  
 Rings: 1 ring one **forged** ring on back  
 PVC card: one red PVC card on back  
 Type: for legs and for shoulders and for chest straps

Rope: no  
 Hook: no  
 Non-woven: 10pcs 15/14kgs 54x28x30cm 4600pcs/20'

# SAFETY HARNESS

EN361/EN355



FBO-TE5126

Material: 50mm terylene  
 Color: two color (green/yellow)  
 Straps adjust: 4 adj.buckles (two legs one chest one waist)  
 Rings: 1 ring (one ring on back)  
 PVC card: no  
 Type: for legs and for shoulders and for chest and waist straps  
 Rope: 1.8m  
 Hook: chromed/nickle middle/small  
 Color box: 10pcs 16/15kgs 54x27x42cm 4600pcs/20'



FBO-TE5127

Material: 45mm terylene  
 Color: one color (yellow)  
 Straps adjust: 4 adj.buckles (two legs one chest one waist)  
 Rings: 1 ring (one ring on back)  
 PVC card: one red PVC card on back  
 Type: for legs and for shoulders and for chest straps  
 Waist belt: one big red pvc belt with waist belt  
 Rope: 1.8m  
 Hook: chromed big  
 Color box: 10pcs 22/21kgs 54x27x42cm 4600pcs/20'



FBO-TE5128

Material: 45mm terylene  
 Color: one color (orange)  
 Straps adjust: 3 adj.buckles (two shoulders one chest)  
 Rings: 3 rings (one ring on back two rings on waist)  
 PVC card: one red pvc card on back  
 Type: for legs and for shoulders and for chest strpes  
 Waist belt: one red pvc belt with waist belt  
 Rope: 1.8m  
 Hook: chromed/Nickle Middle/small  
 Color box: 10pcs 15/14kgs 54x27x42cm 4600pcs/20'



FBO-TE5123

Material: 50mm terylene/polypropylene  
 Color: one color (green)  
 Straps adjust: 3 adj.buckles (two legs one chest)  
 Rings: 1 ring (one ring on back)  
 PVC card: no  
 Type: for legs and for shoulders and chest straps  
 Rope: 1.8m  
 Hook: Chrome/Nickle Middle/small  
 Color box: 10pcs 16/15kgs 54x27x42cm 4600pcs/20'




FBO-TE5205

Material: 60mm/55mm polypropylene  
 Rings: two punch rings on waist  
 Buckle: two punch buckle  
 Type: for waist straps and tool bag  
 Rope: 1.8m  
 Hook: Chrome/Nickle Middle/small  
 20pcs 18/17kgs 50x25x42cm 10900pcs/20'




FBO-2018

Material: 55mm terylen  
 Rings: two forged rings on waist  
 Buckle: one buckle  
 Waist belt: big black sponge belt with waist belt  
 Packing: Non-woven  
 25pcs 15 / 14kgs 62x24x33cm  
 14250pcs / 20



FBO-TE6107 LANYARDS

Rope: 1.3-2m  $\phi$ 14mm,(12mm,16mm) polyester rope  
 Hook: Chrome, mouth open: 55mm (one or two hooks)  
 Weight:225g  
 Bearing: 2.2 tons/100kgs person  
 PE Bag: 20pcs 16/15kgs 42x21x30cm 21600pcs/20'




FBO-TE6117 LANYARDS

Rope: 1.3-2m  $\phi$ 10.5mm Nylon rope  
 Hook: Chrome, mouth open: 55mm (one or two hooks)  
 Weight:370g  
 Bearing: 2.2 tons/100kgs person  
 PE Bag: 10pcs 16/15kgs 48x22x34cm 7950pcs/20'




FBO-TE6102 ENERGY ABAORBR LANYARDS

Rope: 1.3-2m  $\phi$ 14mm,(12mm,16mm) polyester rope  
 Hook: Chrome, mouth open: 55mm (one or two hooks)  
 Weight:465g  
 Bearing: 2.2 tons/100kgs person  
 Energy absorber: 0.75m  
 PE bag: 20pcs 21/20kgs 43x34x30cm 13000pcs/20'




FBO-TE6114 ENERGY ABAORBR LANYARDS

Rope: 2.0m  $\phi$ 10.5mm Nylon rope  
 Hook: Chrome, mouth open: 55mm (one or two hooks)  
 Weight:675g  
 Bearing: 2.2 tons/100kgs person  
 PE Bag: 10pcs 19/18kgs 43x30x34cm 6500pcs/20'



FBO-TE6105 ENERGY ABAORBR LANYARDS

Belt: max 2.0m x 30mm polyester belt  
 Hook:Chrome, mouth open: 55mm (one hook)  
 Weight:365g  
 Energy absorber: 0.75m  
 20pcs 17/16kgs 43x34x30cm 13000pcs/20'



FBO-TE6106 ENERGY ABAORBR LANYARDS

Belt: 2.0m x 45mm polyester belt  
 Hook:Chrome, mouth open: 55mm (two hooks)  
 Weight:490g  
 Energy absorber: 0.75m  
 10pcs 19/18kgs 43x30x34cm 6500pcs/20'

# TRAFFIC SAFETY

## Road cone

### PE

Feature: Impact-proof, anti-sunburn, cold-resistant, good in reflection ...  
Material: PE body, rubber base, mixed by high quality pigment and anti-UV additives  
Reflection tape: high reflective tape which glares out of the night



FBO-PE1

Height: 50cm/75cm/100cm  
Weight: 1.5kgs/2.5kgs/5.0kgs  
Qty/20' 11400/5700/3135pcs



FBO-PE4

Height: 50cm/75cm  
Weight: 1.0kgs/2.0kgs  
Base size: 330mmx330mm  
Tape: 140mm  
Qty/bag 10pcs 200pcs/m<sup>3</sup>  
Qty/20' 5700pcs



FBO-PE6 Saudi-Arabia type

Height: 75cm  
Weight: 3.0kgs  
Base size: 380mmx380mm  
Tape: 430mm  
Qty/bag 5pcs 150pcs/m<sup>3</sup>  
Qty/20' 4275pcs

### PVC



FBO-PV30

Height: 30cm  
Weight: 0.5kgs  
Base size: 210mmx210mm  
Tape: 100mm  
Qty/bag 20pcs 650pcs/m  
Qty/20' 19000pcs



FBO-PV45A

Height: 45cm  
Weight: 1.1kgs/0.9kgs  
Base size: 280mmx280mm  
Tape: 100mm  
Qty/bag 10pcs 390pcs/m  
Qty/20' 11000pcs



FBO-PV47

Height: 47cm  
Weight: 0.9kgs  
Base size: 300mmx300mm  
Tape: 100mm+100mm  
Qty/bag 10pcs 390pcs/m  
Qty/20' 11000pcs



FBO-PV70B

Height: 70cm  
 Weight: 3.0kgs  
 Base size: 360mmx360mm  
 Tape: 150mm+100mm  
 Qty/bag 10pcs 170pcs/m<sup>3</sup>  
 Qty/20'4500pcs



FBO-PV70A

Height: 70cm  
 Weight: 1.8kgs/2.0kgs/2.3kgs  
 Base size: 350mmx350mm  
 Tape: 100mm+100mm  
 Qty/bag 10pcs 170pcs/m<sup>3</sup>  
 Qty/20'4800pcs



FBO-PV90B

Height: 90cm  
 Weight: 4.1kgs  
 Base size: 360mm x 360mm  
 Tape: 150mm  
 Qty/bag 5pcs 100pcs / m<sup>3</sup>  
 Qty/20' 2880pcs



FBO-PV90A

Height: 90cm  
 Weight: 4.1kgs  
 Base size: 360mm x 360mm  
 Tape: 100mm+100mm  
 Qty/bag 5pcs 100pcs/m<sup>3</sup>  
 Qty/20' 3000pcs

## Folding



FBO-LF

Feature:

- 1.Highly elastic, small in volume, easy to be taken.
- 2.It can be equipped with LED warning lights on the top.

Material:waterproof cloth and ABS base or PP base

Quality: 1. ABS base 2. PP base

Tape: 1. two narrow tape 2. one wide tape

Light: 1. with top LED light 2. w / o light

Size: 40cm,45cm,50cm,55cm,60cm,65cm,70cm

Packing:1.white bo x 2.color bo x 3.zip bag

40cm:20pcs 11 / 9kgs 52 x 27 x 44cm 9100pcs / 20'

45cm:20pcs 11 / 9kgs 52 x 27 x 44cm 9100pcs / 20'

50cm:20pcs 11 / 9kgs 52 x 27 x 44cm 9100pcs / 20'

55cm:10pcs 10 / 8kgs 52 x 33 x 33cm 4510pcs / 20'

60cm:10pcs 10 / 8kgs 52 x 33 x 33cm 4510pcs / 20'

65cm:10pcs 10 / 8kgs 52 x 33 x 33cm 4510pcs / 20'

70cm:10pcs 10 / 8kgs 52 x 33 x 33cm 4510pcs / 20'



color bo



white bo



zip bag

# TRAFFIC SAFETY

## Flashing baton



FBO-SR900

Batteries: two or three D batteries  
6pcs led : (L) 54cmx(DIA)4cm



FBO-S900

Batteries: two or three D batteries  
4pcs led : (L) 41cmx(DIA)4cm



FBO-ST500

Batteries: two or three D batteries  
23pcs led : (L) 54cmx(DIA)3cm



FBO-700R

Batteries: two or three D batteries  
6pcs led : (L) 52cmx(DIA)3cm



FBO-S700

Batteries: two or three D batteries  
4pcs led : (L) 40cmx(DIA)3cm



FBO-S700RG

Batteries: two or three D batteries  
12pcs led : (L) 52cmx(DIA)3cm

## Roadblock light

It has highly warning effects in execution of works at night and in the dangerous areas. It has a high penetrative capability to rain and fog. It also can be used for the sign of waving down at the checkpoints as well.

## Lantern battery light



FBO-Q017

Two storage batter hang on cone  
MA base:PP

Product grade: L6 Voltage:6V

Powder:2 x 6V 4R25 lantern battery

View distance:800m Dis of lamp:19cm

Bi-direction flashing Work time:1000-1200H

Frequency:65+ / -15% per min

Color:Amber / red / blue Lamp:4 x 5mm LED bulb

12pcs 7 / 6kgs 45 x 37 x 38cm 12000pcs / 20'



FBO-WL003

Battery

1. 4R 25 / 6V

2. mercury and cadmium

3. better protection against leakage

4. weight: 0.5kgs

5. color:black / yellow

## Dry battery light

## Solar powered light



FBO-Q013

Dry battery insert in cone  
Material: len: PMMA  
Product grade: L6  
base: PP  
Voltage: 3V  
12pcs 8kgs 50x38x38cm 4680pcs/20'



FBO-SU250

6pcs led  
solar PC



FBO-308

Dis of lamp: 182mm, 205mm  
Flash sides: one side, two sides  
Landing: hang on cone  
12pcs 8kgs  
50x38x38cm 4680pcs/20'



FBO-WL019

Dis of lamp: 182mm, 205mm  
Flash sides: one side, two sides  
Landing: hang on cone  
12pcs 7/6kgs  
45x37x35cm 5500pcs/20'



FBO-SU1230  
(H) 10cm x (DIA) 12.3cm  
60hours/times



FBO-SAL001  
30pcs led  
solar



FBO-SU156  
ABS material  
stadia: more than 500M



FBO-AB380  
solar red/blue light  
3.7v 115ma



FBO-BL001  
solar red/blue light  
1pcs led 50x35mm

## Portable metal detector



FBO-MD-3003B1  
Size: 410mm x 45mm x 85mm  
Color: Black  
Weight: 500g  
Packing: 20pcs 9kgs 57 x 32 x 30cm

# TRAFFIC SAFETY

## Speed hump

FBO-BM1

Middle east type

Material: RUBBER

Color: black/yellow

1. Can be fit with reflecting ball

2. Can be fit with bolt

250x350x50/42mm

8pcs 30kgs 52x37x22cm 4800pcs/20'

500x350x50/42mm

4pcs 30kgs 52x37x22cm 2400pcs/20'

1000x350x50/42mm

2pcs 30kgs 52x37x22cm 1200pcs/20'

End: 175x350x50mm

20pcs 40kgs 50x40x40cm 9000pcs/20'



FBO-BM2

Middle east type

Material: RUBBER

Color: black/yellow

1. Can be fit with reflecting ball

2. Can be fit with bolt

500x350x50/45mm

4pcs 30kgs 52x37x22cm 2400pcs/20'

1000x350x50/45mm

2pcs 30kgs 52x37x22cm 1200pcs/20'

End: 175x350x50mm

20pcs 40kgs 50x40x40cm 9000pcs/20'



FBO-BM3

European type

Material: RUBBER

Color: black/yellow


1. Can be fit with reflecting ball

2. Can be fit with bolt

Size: 500x600x30mm 500x600x50mm

End: 225x600x30mm 225x600x50mm

Reflective tape: 120x120mm



FBO-BM4

European type

Material: RUBBER

Color: black/yellow

1. Can be fit with reflecting ball

2. Can be fit with bolt

Size: 500x900x50mm

End: 225x900x50mm

Reflective tape: 120x120mm



## Wheel localizer

FBO-WM1

Material: RUBBER

Color: black/yellow

Size: 500x160x100mm

Weight: 4.5kgs

5pcs 22.5kgs 50x40x25cm 2800pcs/20'



FBO-WM2

Material: RUBBER

Color: high-class and strong reflective tape on,

Size: 600x120x100mm

Weight: 3.8kgs

7pcs 26.6kgs 60x40x20cm 4081pcs/20'



FBO-WM3

Material: RUBBER

Color: high-class and strong reflective tape on,

Size: 1830x150x100mm 1780x140x100mm

1650x140x100mm 900x150x110mm

Weight: 15kgs

1830x150x100mm :

1pcs 15kgs: 183x15x10cm 1020pcs/20'



## Rubber corner guard

FBO-CM1

Material: RUBBER

Color: high-class and strong reflective tape on,  
(black and yellow mixed)

Size: 800mm, 1000mm

Thickness: 8/10/12/14/16mm

8mm: 20pcs 35kgs 80x26x13cm 1040pcs/20'





## Warning post


FBO-L05

TPU: 45cm x 0.60kgs,  
75cm x 1.30kgs

PE + EVA:

75cm x 0.55kgs,  
75cm x 0.63kgs

EVA: 45cm x 0.25kgs,  
75cm x 0.30kgs



FBO-L06

PE + RUBBER base  
**can spring back**  
50cm x 2.40kgs,  
80cm x 2.70kgs,  
80cm x 2.80kgs  
100cm x 3.20kgs,  
100cm x 2.90kgs



FBO-L07

PE + RUBBER BASE  
L07-1:  
110cm x 0.80kgs  
(+base 6kgs/8kgs)  
L07-2:  
110cm x 1.00kgs  
(+base 8kgs)



## Plastic chain



FBO-CH

Size: dia:inner length:out width:g/m

3mmx13mmx11mmx18g round (50m/25m/roll)

4mmx27mmx16mmx40g round (25m/roll)

6mmx25mmx22mmx65g round (25m/roll)

6mmx27mmx20mmx60g flat (25m/roll)

6mmx41mmx21mmx60g flat (25m/roll)

8mmx38mmx27mmx110g flat (25m/roll)

8mmx54mmx27mmx106g flat (25m/roll)

10mmx55mmx38mmx185g round (25m/roll)

12mmx65mmx40mmx300g round

6mm: 12roll 22/18kgs 53x53x35cm 3360roll/20'

8mm: 8roll 25/22kgs 53x53x40cm 2000roll/20'

10mm: 4roll 22/18kgs 53x53x24cm 1680roll/20'

## Billboard



FBO-A1/A2

Material: PVC  
weight: 850g/550g  
10pcs 10/9kgs  
65x30x25cm 5750pcs/20'

## Safety Tag



FBO-CW

Material: PVC  
Size: 220x150x285mm  
12pcs 19/18kgs  
70x50x50mm 1920pcs/20'

## No parking sign



FBO-C3

Material: RUBBER  
30pcs 30kgs  
50x45x40pcs  
9330pcs/20'

## Wide-angle convex mirror

FBO-WACM

Usage: it's suitable for kinds of corners to avoid stealing and prevent accident

Feature: wearproof, anti-UV, highly durable, clear images on the face of mirror, easy to install

Material:

Mirror face: imported PC and Acrylic  
Mirror back: Anti-aging fiber-glass epoxy

Size: 30cm, 45cm, 60cm, 80cm,  
85cm, 100cm, 120cm



FBO-C4 **chargeable**

Material: PVC

1.LED: flash-steady-closed

2.one flashlight on handle

3.can be chargeable

30pcs 30kgs

50x45x40pcs

9330pcs/20'



# TRAFFIC SAFETY

## Warning tringle



FBO-WT-10F  
Packing: plastic box  
30pcs 21/20kgs  
44x22x30cm 30000pcs/20'



FBO-WT-10B  
Packing: plastic box  
40pcs 21/20kgs  
44x22x32cm 38400pcs/20'



FBO-WT-10E **A/B/C grade**  
Packing: plastic box  
20pcs 19/18kgs  
44x32x32cm 12700pcs/20'



FBO-JM-008 **21 LED LIGHT**  
Packing: plastic box  
20pcs 23/22kgs  
46x32x38cm 10000pcs/20'

## Road stud



FBO-804  
Material:ABS  
Size:100x100x20mm  
Color:double yellow



FBO-806  
Material:Aluminium  
Size:100x100x70mm  
Color:double yellow



FBO-AL002  
Material:Aluminium  
Size:115x100x22mm  
6pcs led 900-1000times/mins



FBO-AL002R  
Material:Aluminium  
Size:125x105x26mm  
6pcs led 900-1000times/mins

## Warning tape



FBO-MT  
Width:50, 70, 75, 76, 80, 100cm  
Length:45,100, 200, 250, 300, 450, 500, 600m  
Thickness:0.035, 0.04, 0.05, 0.07, 0.10, 0.13mm  
Type: 1. black CAUTION on yellow tape  
2. black DANGER on red tape  
3. red/white no words tape  
4. blue/white no words tape  
5. special words according request

## Vehicles retro-reflective sticker tape



FBO-VT  
Roll: 5cm x 50m, 5mmx25m  
Sheet: 10cm x 92cm  
Type: A.black/yellow (black/green) twill designed tape  
B.red/white square designed prismatic tape  
C.red/white twill designed tape  
D.red/white square designed tape  
Packing:16rolls 40x40x20cm 14000rolls/20'

## Reflective tape



FBO-DX906

Material: reflective fabric

1. High reflective fabric (T/C) 65% polyester 35% cotton  
brightness: 250R, 380R, 500R
2. High reflective fabric (Pol) 100% polyester  
brightness: 250R, 380R, 500R
3. Ordinary reflective fabric (Pol) 100% polyester  
brightness: 60R

Size: 5cm x 200m/roll

10rolls 20/19kgs 40x20x27cm 9000 rolls/20'



FBO-DX907

Material: reflective prismatic tape

Backing: PVC

Color: white, yellow, red

Size: 5cm x 50m/roll, 2.5cm x 50m/roll,

36rolls 47/46kgs 58x37x32cm 13320 rolls/20'

60rolls 35/34kgs 55x35x26cm 33600 rolls/20'

## Safety Fence



FBO-SF

Feature: High strength, aging resistance, anti-corrosion, high flexibility, handy enough to install, remove conveniently, use constantly, and more prominent

Material: PE (U.V. stabilized) (re-useable)

Weight: 110g/m<sup>2</sup>, (100g/m<sup>2</sup>, 120g/m<sup>2</sup>, 130g/m<sup>2</sup>, 140g/m<sup>2</sup>, 160g/m<sup>2</sup>, 180g/m<sup>2</sup>, 200g/m<sup>2</sup>, 240g/m<sup>2</sup>)


Width: 1.22m (1m, 1.5m, 1.8m, 48")

Length: 50m (30m, 100')

Color: Red, (yellow, blue, green)

SR120 mesh: 70x40mm (65x35mm, 80x65mm, 40x25mm, 100x70mm, 50x50mm, 60x40mm)

Br110 mesh: 100x26mm (100x40mm, 90x26mm, 70x26mm, 80x26mm, 66x26mm, 50x26mm)



FBO-BR110



FBO-SR120



FBO-SN

Material: PE (U.V. stabilized) (re-useable)

Weight: 100g/m<sup>2</sup>, (90g/m<sup>2</sup>, 100g/m<sup>2</sup>, 120g/m<sup>2</sup>, 150g/m<sup>2</sup>, 180g/m<sup>2</sup>, 200g/m<sup>2</sup>)

Width: 1m (1m-6m)


Length: 200m (50m, 100m)

Color: Green, (black, .....


Normal size: 2mx100m, 4mx50m, 4mx100m




Scaffolding debris netting with ropes




USA



Europe



Middle east



South east asia

## Polyester



CE

FBO-YP10C5/A

Material: 100% polyester, knitting fluo fabric  
 Color: Fluo yellow, orange, red, green  
 Size: S-XXXL  
 Quality: 120g, 100g, 80g  
 Reflecting tape: A grade, B grade  
 100pcs 13/12kgs 45x25x44cm 47500pcs/20'



CE

FBO-YP10C5/E

Material: 100% polyester, knitting fluo fabric  
 Color: Fluo yellow, orange, red, green  
 Size: S-XXXL  
 Quality: 120g, 100g, 80g  
 Reflecting tape: A grade, B grade  
 100pcs 13/12kgs 45x25x44cm 47500pcs/20'



CE

FBO-WTB003

Material: 100% polyester, knitting fluo fabric  
 Color: Fluo yellow, orange, red, green  
 Size: S-XXXL  
 Quality: 120g, 100g, 80g  
 Reflecting tape: A grade, B grade  
 100pcs 13/12kgs 45x25x44cm 47500pcs/20'



CE

FBO-KU4

Material: 100% polyester, knitting fluo fabric  
 Color: Fluo yellow, orange, red, green  
 Size: S-XXXL  
 Quality: 120g, 100g, 80g  
 Reflecting tape: A grade, B grade  
 100pcs 13/12kgs 45x25x44cm 47500pcs/20'



CE

FBO-V004

Material: 100% polyester, knitting fluo fabric  
 Color: Fluo yellow, orange, red, green  
 Size: S-XXXL  
 Quality: 120g, 100g, 80g  
 Reflecting tape: A grade, B grade  
 Sperication: with PVC pocket, zipper  
 100pcs 13/12kgs 45x25x44cm 47500pcs/20'



CE

FBO-V005

Material: 100% polyester, knitting fluo fabric  
 Color: Fluo yellow, orange, red, green  
 Size: S-XXXL  
 Quality: 120g, 100g, 80g  
 Reflecting tape: A grade, B grade  
 Sperication: with PVC pocket, zipper  
 100pcs 13/12kgs 45x25x44cm 47500pcs/20'

EN471

# SAFETY VEST



FBO-CH1

Material: 100% polyester, knitting fluo fabric  
Color: Fluo yellow, orange, red, green  
Size: S-XXXL  
Note: with pocket with velcro cover on the chest with zipper  
Quality: 120g  
Reflecting tape: A grade, B grade  
100pcs 15/14kgs 45 x 25 x 54cm 47000pcs/20'



Back

FBO-TSP03 no tape type

Material: 100% polyester, knitting fluo fabric  
Color: Fluo yellow, orange, red, green  
Size: S-XXXL  
Note: with four pocket on the chest with zipper  
Quality: 120g  
Reflecting tape: A grade, B grade  
100pcs 15/14kgs 45x25x54cm 47000pcs/20'



FBO-KU5

Material: 100% polyester, knitting fluo fabric  
Color: Fluo yellow, orange, red, green  
Size: S-XXXL  
Quality: 120g, 100g  
Reflecting tape: A grade, B grade  
100pcs 13/12kgs 45x25x44cm 47500pcs/20'



FBO-V235

Material: 100% polyester, knitting reflective prismatic tape  
Size: S-XXXL  
Note: with sponge on the shoulder and bottom reflective prismatic tape  
Quality: 120g

## Mesh



FBO-V001

Material: mesh  
Quality: 55g



FBO-V002

Color: Fluo yellow, orange, red, green  
Reflecting tape: A grade, B grade  
100pcs 8/7kgs 45x25x35cm 72000pcs/20'



FBO-V201

Size: S-XXXL



Back

FBO-TSM02  
 Material: mesh (fisheye mesh)  
 Note: with 4 pockets with velcro cover (2 on the chest. 2 on the waist) with zipper  
 Color: Fluo red  
 Quality: 100g  
 Size: S-XL  
 100pcs 16/15kgs 55x25x50cm 41000pcs/20'



FBO-V003  
 Material: mesh (fished mesh)  
 Note: three pocket  
 Color: Fluo yellow  
 Size: S-XL  
 Quality: 100g  
 100pcs 12/11kgs 55x27x40cm 48000pcs/20'



Back

FBO-TSM13 (fisheye mesh )  
 Material: mesh  
 Color: Fluo yellow, orange, red, green  
 Size: S-XXXL  
 Note: short sleeves with reflecting tape with zipper  
 Quality: 100g  
 Reflecting tape: A grade, B grade  
 40pcs 10/9kgs 52x32x30cm 22400pcs/20'



FBO-TSM12  
 Material: mesh  
 Color: Fluo red, yellow, orange, green  
 Quality: 100g  
 Size: S-XL  
 40pcs 10/9kgs 52x32x30cm 22400pcs/20'



FBO-TSM10 (Canada type)  
 Material: mesh  
 Note: easy be opened on the shoulders with 4 pocket (two on chest two on waist) with hole on the back reflective prismatic tape  
 Color: Fluo red  
 Quality: 55g  
 Size: S-XL  
 100pcs 16/15kgs 55x25x50cm 41000pcs/20'



FBO-TSM04  
 Material: mesh/polyster  
 Note: 1 name card pocket on the chest 1 notice mark pocket on the back  
 Color: Fluo green  
 Quality: 120g/100g  
 Size: S-XL  
 100pcs 16/15kgs 55x25x50cm 41000pcs/20'

EN471

# SAFETY VEST



FBO-V286  
 Material: mesh ( fisheye mesh )  
 Note: double reflecting tapes with PVC and moible packet with zipper easy be opened on the shoulders  
 Color: Fluo red,yellow, orange,green  
 Quality: 100g  
 Size: S-XXXL  
 40pcs 10/9kgs 52x32x30cm 22400pcs/20'



FBO-MA10  
 Material: mesh  
 Note: double reflective tapes  
 Color: Fluo red  
 Quality: 80g  
 Size: S-XL

100pcs 15/14kgs 55x27x40cm 48000pcs/20'



FBO-YP10C5/C  
 Material: mesh ( fisheye mesh )  
 Note: double reflecting tapes with zipper  
 Color: Fluo red,yellow,orange,green  
 Quality: 100g  
 Size: S-XXXL  
 40pcs 10/9kgs 52x32x30cm 22400pcs/20'



FBO-MA04  
 Material: mesh (fisheye mesh ) reflective prismatic tape  
 Color: Fluo red  
 Quality: 100g  
 Size: S-XL  
 100pcs 12/11kgs 55x27x40cm 48000pcs/20'



FBO-TSM08  
 Material: mesh reflective prismatic tape  
 Color: Fluo red  
 Quality: 55g  
 Size: S-XL  
 100pcs 16/15kgs 55x25x50cm 41000pcs/20'



FBO-V211  
 Material: mesh reflective prismatic tape  
 Color: Fluo red  
 Quality: 55g  
 Size: S-XL  
 100pcs 9/8kgs 45x35x40cm 45200pcs/20'

# SAFETY VEST

EN471



FBO-YP01

Material: mesh

Note: without light

Color: Fluo red, yellow, black, orange

Quality: 55g

Size: S-XL

100pcs 20/18kgs 48x 25 x 33cm

42600pcs/20'



FBO-YP01/F5

Material: mesh

Note: with 16 light

Color: Fluo red, yellow, black, orange

Quality: 55g

Size: S-XL

100pcs 20/18kgs 48x 25 x 33cm

42600pcs/20'



FBO-YP01/LT

only prismatic tape

100pcs 9/8kgs

45x25x36cm 70300pcs/20'



FBO-ST

Fluo color elastic belt with reflective tape with clip

100pcs 9/8kg

45x25x36cm 70300pcs/20"



FBO-CA10 winter jacket

Material: 100% polyester, knitting fluo fabric with PVC, coat PU fabric.

Color: Fluo yellow, orange, red, green

Size: S-XL

24pcs 18/16kgs

30x30x50cm 15000pcs/20'



FBO-TL010 spring jacket

Material: 100% polyester, knitting fluo fabric with PVC, coat PU fabric.

Color: Fluo yellow, orange,

Size: S-XL

50pcs 20/18kgs

50x30x50cm 19000pcs/20'



FBO-AU011

Material: outer: 300D oxford cloth

Middle: polyester wadding

Inside: 190T poly taffeta

5 sets 11/10kgs 65x45x37cm 1325 sets/20'



FBO-NF11



FBO-AU012

Material: 300D oxford with 190T

poly taffeta with cotton lining

inner vest: polar fleece

Color: Fluo yellow, orange

Size: S-4XL

24pcs 18/16kgs 30x 30 x 50cm 15000pcs/20'



## Rain wear

A grade: Tianjin weaving cloth: 200D (0.32mm, 0.35mm)  
 B grade: New material 60% polyster: 150D (0.32mm, 0.35mm)  
 C grade: Recycle material 60% polyster: 100D (0.28mm, 0.30mm)



FBO-9025 1pc long rain coat  
 (w or w/o inner cuff)  
 (hat can be together or seperate)

**A grade, B grade, C grade**

0.28mm PVC/Polyster (PP)  
 0.30mm PVC/Polyster (PP)  
 0.30mm PVC/Polyster/PVC (PPP)  
 0.32mm PVC/Polyster (PP)  
 0.32mm PVC/Polyster/PVC (PPP)  
 0.35mm PVC/Polyster (PP)  
 0.35mm PVC/Polyster/PVC (PPP)  
 25set 28/27kgs 50x35x23cm 17500 set/20'



FBO-9001 2pcs elasticity trouser rain suit  
 (w or w/o inner cuff)  
 (hat can be together or seperate)

**A grade, B grade, C grade**

0.28mm PVC/Polyster (PP)  
 0.30mm PVC/Polyster (PP)  
 0.30mm PVC/Polyster/PVC (PPP)  
 0.32mm PVC/Polyster (PP)  
 0.32mm PVC/Polyster/PVC (PPP)  
 0.35mm PVC/Polyster (PP)  
 0.35mm PVC/Polyster/PVC (PPP)  
 20set 28/27kgs 50x35x24cm 13400 set/20'



FBO-9096 1pc long rain coat with reflecting tape  
 (w or w/o inner cuff)

(hat can be together or seperate)

**A grade, B grade, C grade**

0.28mm PVC/Polyster (PP)  
 0.30mm PVC/Polyster (PP)  
 0.30mm PVC/Polyster/PVC (PPP)  
 0.32mm PVC/Polyster (PP)  
 0.32mm PVC/Polyster/PVC (PPP)  
 0.35mm PVC/Polyster (PP)  
 0.35mm PVC/Polyster/PVC (PPP)  
 25set 28/27kgs 50x35x23cm 17500 set/20'



FBO-9094 2pcs rain suit with reflecting tape  
 (w or w/o inner cuff)

(hat can be together or seperate)

**A grade, B grade, C grade**

0.28mm PVC/Polyster (PP)  
 0.30mm PVC/Polyster (PP)  
 0.30mm PVC/Polyster/PVC (PPP)  
 0.32mm PVC/Polyster (PP)  
 0.32mm PVC/Polyster/PVC (PPP)  
 0.35mm PVC/Polyster (PP)  
 0.35mm PVC/Polyster/PVC (PPP)  
 20set 28/27kgs 50x35x24cm 13400 set/20'

# RAIN WEAR



FBO-9007 3pcs bib pants rain suit  
(w or w/o inner cuff)  
**A grade, B grade,**  
0.28mm PVC/Polyster (PP)  
0.30mm PVC/Polyster (PP)  
0.30mm PVC/Polyster/PVC (PPP)  
0.32mm PVC/Polyster (PP)  
0.32mm PVC/Polyster/PVC (PPP)  
0.35mm PVC/Polyster (PP)  
0.35mm PVC/Polyster/PVC (PPP)  
20set 30/29kgs 50x35x25cm 12800 set/20'



FBO-9104  
Material: **Terylene/Nylon**  
**Strong and breathe**  
170T with Terylene + PVC  
20set 28/27kgs 50x35x24cm 13400 set/20'



FBO-9106  
Material: **Terylene/Nylon**  
**Strong and breathe**  
170T Terylene + PVC  
**with reflective tape**  
20set 28/27kgs 50x35x24cm 13400 set/20'



FBO-9105  
Material: **Terylene/Nylon**  
**Strong and breathe**  
170T Terylene + PVC  
20set 28/27kgs 50x35x24cm 13400 set/20'



FBO-9107  
Material: **Special rubber**  
**Strong**  
**with reflective tape**  
0.30mm/0.32mm  
25set 28/27kgs 50x35x23cm 17500 set/20'



FBO-9108  
Material: **Special rubber**  
**Strong**  
**with reflective tape**  
0.30mm/0.32mm  
20set 28/27kgs 50x35x24cm 13400 set/20'



FBO-9109  
Material: **Polyster + PVC**  
**Reflective painting**  
**with reflective tape**  
0.30mm/0.32mm  
20set 28/27kgs 50x35x24cm 13400 set/20'



FBO-9110  
Material: **250D Oxford**  
**170T Polyester taffeta lining**  
**Strong**  
**with reflective tape**  
0.30mm/0.32mm  
20set 28/27kgs 50x35x24cm 13400 set/20'

# RAIN WEAR

## Poncho quadrate rain cape



FBO-9048 poncho quadrate rain cape

0.10mm 100% PVC 50"x80"  
 0.12mm 100% PVC 50"x80"  
 0.16mm 100% PVC 50"x80"  
 50pcs 25/24kgs 47x28x21cm 51500pcs/20'



FBO-9085 one-off quadrate rain cape

0.02mm PE 50"x80"  
 200pcs 11/10kgs 51x29x24cm 158000pcs/20'



FBO-9086 one-off long rain coat

0.02mm PE  
 300pcs 20/19kgs 57x44x28cm 121500pcs/20'



FBO-9087 one-off rain coat

0.02mm PE  
 200pcs 11/10kgs 51x31x29cm 122000pcs/20'



valve bag



opp bag



bag with cover

## Apron



FBO-9063 Apron

0.32mm PP 70x110cm  
0.32mm PPP 70x110cm  
50pcs 15/14kgs  
39x29x36cm 34500pcs/20'



FBO-9064 Apron

0.32mm PP 90x120cm  
0.32mm PPP 90x120cm  
50pcs 16/15kgs  
39x29x38cm 32500pcs/20'

## Kids rain wear



FBO-9101

0.15mm EVA  
100pcs 23/22kgs 40x26x36cm 75500pcs/20'



FBO-9102

0.13mm 100% PVC  
100pcs 23/22kgs 40x26x36cm 75500pcs/20'



FBO-9077

0.14mm 100% PVC  
100pcs 23/22kgs 40x26x36cm 75500pcs/20'



FBO-9103

0.10mm 100% PVC  
100pcs 23/22kgs 40x26x36cm 75500pcs/20'

# NON-WOVEN SERIES

EN13982/EN034



**FBO-N1** Surgical cap pp  
Material: PP 20g 25g 30g  
Size: 64x12cm  
100pcs/bag  
2000pcs/ctn 12/11kgs  
50x35x40cm 810000pcs/20"




**FBO-N2** Nurse cap PP  
Material: PP 10g 12g 14g  
Size: 46x46cm 18" 51x51cm 20"  
53x53cm 21" 61x61cm 24"  
100pcs/bag 2000pcs/ctn 12/11kgs  
50x35x40cm 810000pcs/20"



**FBO-N3** Nurse folded cap pp  
Material: PP 10g 12g 14g  
Size: 46x46cm 18" 51x51cm 20"  
53x53cm 21" 61x61cm 24"  
100pcs/bag 2000pcs/ctn 12/11kgs  
50x35x40cm 810000pcs/20"



**FBO-N4** Astronaut cap  
Material: PP 25g 30g  
Size: 38x37cm  
100pcs/bag 1000pcs/ctn 4/3kgs  
50x35x40cm 810000pcs/20"



**FBO-N5** Shoe cover PE  
Material: PE 1.5G/pc 2.0G/pc  
CPE 2.0g/pc 2.5g/pc  
Size: 38x37cm  
100pcs/bag 5000pcs/ctn 15/13kgs  
56x38x40cm 1550000pcs/20"



**FBO-N6** Shoe cover PP  
Material: PP 25g 30g 40g  
Size: 38x18cm  
100pcs/bag 1000pcs/ctn 7/6kgs  
50x38x38cm 3950000pcs/20"



**FBO-N7** Sleeves PE  
Material: PE 2.5g/m<sup>2</sup>  
Size: 400x200mm  
100pcs/bag 1000pcs/ctn 4/3kgs  
42x21x33cm 4810000pcs/20"



**FBO-N8** Apron PE  
Material: PE 2.5g/m<sup>2</sup>  
Size: 24"x 42", 28"x46"  
100pcs/box 1000pcs/ctn 11/10kgs  
53x29x19cm 940000pcs/20"



**FBO-N9** Apron PP  
Material: PP 40g/m<sup>2</sup>  
Size: 105x72cm 120x140cm  
10pcs/bag 2000pcs/ctn 10/9kgs  
54x29x30cm 120000pcs/20"



**FBO-N10**  
Isolation gown  
Material: PP 20G/m<sup>2</sup> 30g/m<sup>2</sup>  
Size: 115x137cm 120x140cm  
10pcs/bag 100pcs/ctn 8/7kgs  
48x32x42cm 44000pcs/20"



**FBO-N11**  
Isolation gown  
Material: PP+PE 40G/m<sup>2</sup>  
water proof  
Size: 115x137cm 120x140cm  
10pcs/bag 100pcs/ctn 8/7kgs  
48x32x48cm 38000pcs/20"

## Disposable coverall



**FBO-10A**  
 Material: PP  
 Weight: 30g/35g/40g  
 50g/60g  
 Color: white/blue/orange  
 Size: S to 5XL  
 Usage: anti-dust  
 w/o foot cover  
 with foot cover



**FBO-11**  
 Material: PP+PE  
 Weight: 50g/60g  
 Color: white/blue/orange  
 Size: S to 5XL  
 Usage: anti-dust  
 water proof  
 w/o foot cover  
 with foot cover



**FBO-16**  
 Material: STES  
 Weight: 50g/60g  
 Color: white/blue/orange  
 Size: S to 5XL  
 Usage: anti-dust  
 water proof  
 soft comfortable  
 w/o foot cover  
 with foot cover



**FBO-15**  
 Material: tyvek  
 Weight: 45g  
 Color: white  
 Size: S to 5XL  
 Usage: anti-dust anti-acid  
 water proof anti-alkali  
 anti-oil anti-diesel  
 anti-static anti-bacterial  
 w/o foot cover  
 with foot cover



**FBO-13**  
 Material: SMS  
 Weight: 50g/55g/60g  
 Color: white/blue  
 /orange  
 Size: S to 5XL  
 Usage : anti-dust  
 water proof  
 breathe freely  
 w/o foot cover  
 with foot cover



**FBO-14**  
 Material: SF  
 Weight: 53g/58g/60g/63g  
 Color: white/blue/orange  
 Size: S to 5XL  
 Usage: anti-dust  
 water proof  
 breathe freely  
 high intension  
 anti-static  
 w/o foot cover  
 with foot cover



**FBO-16**  
 Material: SF with nylon strip  
 Weight: 60g/63g  
 Color: white/blue/orange  
 Size: S to 5XL  
 Usage: anti-dust  
 water proof  
 breathe freely  
 high intension  
 anti-static  
 chemical resistance  
 germ and bloodresistance  
 w/o foot cover  
 with foot cover



**FBO-17**  
 Material: SF with nylon strip  
 Weight: 60g/63g  
 Color: white/blue/orange  
 Size: S to 5XL  
 Usage : anti-dust  
 water proof  
 breathe freely  
 high intension  
 anti-static  
 chemical resistance  
 germ and bloodresistance  
 w/o foot cover  
 with foot cover

# LIFE JACKET

## Life-jacket



FBO-Y1 **SOLAS**

Material: polyester + sponge  
 Buoyancy:  $\geq 74N$   
 0.3kgs/pc 50pcs/bag 15.5kgs/15kgs  
 58x45x5cm/pc 0.6525m<sup>3</sup>/ctn  
 2150pcs/20'



FBO-Y4 **SOLAS**

Material: polyester + sponge  
 Buoyancy:  $\geq 74N$   
 0.3kgs/pc 50pcs/bag 15.5kgs/15kgs  
 58x45x5cm/pc 0.6525m<sup>3</sup>/ctn  
 2150pcs/20'



FBO-Y3 **SOLAS**

Material: polyester + sponge  
 Buoyancy:  $\geq 74N$   
 0.4kgs/pc 50pcs/bag  
 20.5kgs/20kgs 25x39x19cm/pc  
 0.92625m<sup>3</sup>/ctn 1500pcs/20'



FBO-Y6

Material: polyester + sponge  
 Buoyancy:  $\geq 74N$   
 0.3kgs/pc 50pcs/bag 15.5kgs/15kgs  
 58x45x5cm/pc 0.6525m<sup>3</sup>/ctn  
 2150pcs/20'



FBO-Y5 **SOLAS**

Material: polyester + sponge  
 Buoyancy:  $\geq 74N$   
 0.52kgs/pc 50pcs/bag 26.5kgs/26kgs  
 74x50x8cm/pc 1.48m<sup>3</sup>/ctn  
 950pcs/20'



FBO-S-006

Material: polyester + sponge  
 Buoyancy:  $\geq 75N$   
 0.3kgs/pc 50pcs/bag 15.5kgs/15kgs  
 58x45x5cm/pc 0.6525m<sup>3</sup>/ctn  
 2150pcs/20'

## Life buoy



FBO-HL5581

Material: 300D Oxford+210D Nylon  
 Buoyancy:  $\geq 150N$   
 Cylinder: 33g CO<sub>2</sub>  
 Inflation Method: Automatic/Manual  
 Options: Lifejacket Lights  
 20pcs/ctn 19/18kgs 42x36x42cm



FBO-HL100

Material: PVC foam  
 Buoyancy:  $\geq 150N$   
 It's floating core is made up by imported material, which surface is something like PVC plastic.  
 2000pcs/20'



FBO-Q1

Material: PVC  
 Size: 1.0kg color 720x440mm  
 2.5kgs 720x440mm  
 4.3kgs 720x440mm  
 Buoyancy: 1.0kg color  $\geq 14.5kgs$   
 2.5kgs  $\geq 14.5kgs$   
 4.3kgs  $\geq 18.5kgs$   
 1.0kg: 50X28X10cm/pc 2000pcs/20'  
 2.5kg: 72X44X10.5cm/pc 840pcs/20'  
 4.3kgs 75x75x60cm 15/14kgs 500pcs/20'



# COVERALL



## FBO-1054 EU type

Fabric: 1.65% polyester 35% cotton 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.The front with flap and conceal metallic zipper  
2.two chest pockets with flap and snap fastening  
transparent name card pocket  
3.pen pocket on left sleeve with plastic zipper  
4.two patch pockets and hanging pockets on the waist  
5.pocket with flap and button fastning on the left leg  
ruler pocket on the right leg  
6.knee patch with contrast color material

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:230g/240g:S-2XL 15pcs 15/13kg 57x39x23cm 8250pcs/20'  
230g/240g:3XL-5XL 15pcs 15/13kg 57x39x31cm 6150pcs/20'



## FBO-1051 EU type

Fabric: 1.65% polyester 35% cotton 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.The front with flap and conceal metallic zipper  
2.two chest pockets with flap and snap fastening  
transparent name card pocket  
3.pen pocket on left sleeve with plastic zipper  
4.two patch pockets and hanging pockets on the waist  
5.pocket with flap and button fastning on the left leg

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:230g/240g:S-2XL 15pcs 15/13kg 57x39x23cm 8250pcs/20'  
230g/240g:3XL-5XL 15pcs 15/13kg 57x39x31cm 6150pcs/20'



## FBO-K11

Fabric: 1.65% polyester 35% cotton 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.two colors on the shoulders and arms and cuff  
2.two pockets with cover on the chest  
3.two oblique pocket(bovious threads)on both sides  
4.two pockets with cover on back buttock  
5.one pen pocket on the left arm  
6.one long elastic belt on back  
7.three reflective tapes on the back and pants

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:230g/240g:S-2XL 15pcs 15/13kg 57x39x23cm 8250pcs/20'  
230g/240g:3XL-5XL 15pcs 15/13kg 57x39x31cm 6150pcs/20'

# COVERALL



## FBO-C4 EU type

Fabric: 1.65% polyester 35% cotton 190G/m2 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.straight joint sleeve and shoulder  
2.one pocket with flat zipper on chest  
3.two oblique pockets on both side  
4.one pocket on right back buttock  
5.one long elastic belt on back  
6.one long zipper with button  
7. classII reflectivity tape

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:180g/190g:S-2XL 20pcs 18/16kg 57x39x24cm 10600pcs/20'  
180g/190g:3XL-5XL 20pcs 18/16kg 57x39x29cm 8800pcs/20'  
230g/240g:S-2XL 15pcs 15/13kg 57x39x23cm 8250pcs/20'  
230g/240g:3XL-5XL 15pcs 15/13kg 57x39x31cm 6150pcs/20'



## FBO-C5 EU type

Fabric: 1.65% polyester 35% cotton 190G/m2 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.straight joint sleeve and shoulder  
2.two pocket with flat zipper on chest  
3.one pocket on right back buttock  
4.two oblique pockets on both side  
5.one big tool pocket on right side leg  
6.two big hole back on two oblique pockets on both side  
7.one pocket on back buttock  
8.one long elastic belt on back

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:180g/190g:S-2XL 20pcs 18/16kg 57x39x24cm 10600pcs/20'  
180g/190g:3XL-5XL 20pcs 18/16kg 57x39x29cm 8800pcs/20'  
230g/240g:S-2XL 15pcs 15/13kg 57x39x23cm 8250pcs/20'



## FBO-C3 EU type

Fabric: 1.65% polyester 35% cotton 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.straight joint sleeve and shoulder  
2.two pocket with oblique zipper on chest  
3.one pocket on right back buttock  
4.two oblique pockets on both side  
5.one small pen pocket in right oblique pocket on right side  
6.one big tool pocket on ght side leg  
7.two big hole back on two oblique pockets on both side  
8.two pockets(one with cover,the other without cover)on back buttock  
9.one long elastic belt on back  
10one long zipper with button

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:230g/240g:S-2XL 15pcs 15/13kg 57x39x23cm 8250pcs/20'  
230g/240g:3XL-5XL 15pcs 15/13kg 57x39x31cm 6150pcs/20'

# COVERALL



## FBO-C8 Middle East type

Fabric: 1.100% polyester 110g/m2 130g/m2  
2.65% polyester 35% cotton 150G/m2 190g/m2 240g/m2  
3.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.oblique joint sleeve and shoulder  
2.one/two p pocket on lefe chest  
3.two oblique pockets(obcious threads)on both side  
4.two pockets on back buttock  
5.one belt with button on waist  
6.one long elastic belt on back

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:150g/160g:S-2XL 25pcs 15/13kg 57x39x23cm 13750pcs/20'  
150g/160g:3XL-5XL 25pcs 15/13kg 57x39x27cm 11750pcs/20'  
180g/190g:S-2XL 20pcs 18/16kg 57x39x24cm 10600pcs/20'  
180g/190g:3XL-5XL 20pcs 18/16kg 57x39x29cm 8800pcs/20'



## FBO-C9 Middle East type

Fabric: 1.100% polyester 110g/m2 130g/m2  
2.65% polyester 35% cotton 150G/m2 190g/m2 240g/m2  
3.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.oblique joint sleeve and shoulder  
2.two p pocket on lefe chest  
3.two oblique pockets(obcious threads)on both side  
4.two pockets on back buttock  
5.one pen pocket on arm  
6.two side pocket with cover on the leg  
5.one belt with button on waist  
6.one long elastic belt on back

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:150g/160g:S-2XL 25pcs 15/13kg 57x39x23cm 13750pcs/20'  
150g/160g:3XL-5XL 25pcs 15/13kg 57x39x27cm 11750pcs/20'  
180g/190g:S-2XL 20pcs 18/16kg 57x39x24cm 10600pcs/20'  
180g/190g:3XL-5XL 20pcs 18/16kg 57x39x29cm 8800pcs/20'



## FBO-C12 Chile type

Fabric: 1.100% polyester 110g.m2 130g/m2  
2.65% polyester 35% cotton 190g/m2 240g/m2 280g/m2  
3.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.straight joint sleeve and shoulder  
2.two pocket with zipper on chest  
3.two oblique pockets on both side  
4.two pockets on back buttock  
5.one long elastic belt on back  
6.one tool pocket on the right leg  
7.two small zippers on the bottom of pants  
8.seven reflective tapes on the chest,back,arms,legs

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:110g/130g:S-2XL 15pcs 15/13kg 57x39x21cm 16000pcs/20'  
110g/130g:3XL-5XL 15pcs 15/13kg 57x39x23cm 14000pcs/20'

# COVERALL

## Work suit



### FBO-2054 EU type

Fabric: 1.65% polyester 35% cotton 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.The front with flap and conceal metallic zipper  
2.two chest pockets with flap and snap fastening  
transparent name card pocket  
3.pen pocket on left sleeve with plastic zipper  
4.two patch pockets and hanging pockets on the waist tool loop  
5.pocket with flap and button fastning on the left leg  
ruler pocket on the right leg  
6.knee patch with contrast color material

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing: 230g/240g:15pcs 22/20kg 57x39x35cm 5400set/20



### FBO-2051 EU type

Fabric: 1.65% polyester 35% cotton 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.The front with flap and conceal metallic zipper  
2.two chest pockets with flap and snap fastening  
transparent name card pocket  
3.pen pocket on left sleeve with plastic zipper  
4.two patch pockets and hanging pockets on the waist tool loop  
5.pocket with flap and button fastning on the left leg  
ruler pocket on the right leg  
6.knee patch with contrast color material

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:230g/240g:15pcs 22/20kg 57x39x35cm 5400set/20



### FBO-WS2

Fabric: 1.100% polyester 110g/m2 130g/m2  
2.65% polyester 35% cotton 150G/m2 190g/m2 240g/m2  
3.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.straight joint sleeve and shoulder  
2.two ppocket on lefe chest  
3.straight edge of the shirt  
4.two ablique pockets on both side of pants  
5.one pocket on right back buttock of pants  
6.one long elastic belt on back of pants

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing: 150g/160g:25pcs 17/15kg 57x39x27cm 11750set/20'  
180g/190g:20pcs 20/18kg 57x39x30cm 8400set/20'  
230g/240g:15pcs 22/20kg 57x39x35cm 5400set/20'

# COVERALL



## FBO-WS3

Fabric: 1.100% polyester 110g/m2 130g/m2  
2.65% polyester 35% cotton 150G/m2 190g/m2 240g/m2  
3.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.straight joint sleeve and shoulder  
2.two pocket on left chest  
3.two short button belts on both sides of jacket  
4.two slant packets on both sides of jacket  
5.two ablique pockets on both side of pants  
6.two pockets with cover on both legs  
5.one pocket on right back buttock of pants  
6.one long elastic belt on back of pants

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:150g/160g:25pcs 17/15kg 57x39x27cm 11750set/20'  
180g/190g:20pcs 20/18kg 57x39x30cm 8400set/20'  
230g/240g:15pcs 22/20kg 57x39x35cm 5400set/20'



## FBO-2021

Fabric: 100% cotton 12.5oz denim

Design: 1.front with four hole plastic buttons  
2.patch pocket with flap on the left chest  
3.two patch pockets on the bottom  
4.two lateral pockets  
6.one patch pocket on the back

Size: S,M,L,XL,2XL,3XL,4XL,5XL

Color: blue.dark blue



## FBO-WS4 EU type

Fabric: 1.100% polyester 110g.m2 130g/m2  
2.65% polyester 35% cotton 190g/m2 240g/m2 280g/m2  
3.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.one with oblique zipper on right chest  
2.one pen pocket on right chest  
3.two pockets with cover with velcro on left chest  
4.two long pockets with zipper on the waist  
5.four pockets with zipper in front  
6.two band with circle on the side  
7.two reflective tape on the front shoulder  
8.one reflective tape on the back  
9.two oblique pockets on both side of pants  
10.two pockets with cover on back buttock of pants  
11.two pocket with cover on front knee

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:110g/130g 11750sets/20'

# COVERALL

## Bib pants



FBO-BP1

Fabric: 1.65% polyester 35% cotton 240g/m2 280g/m2  
2.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.four pockets with flap on the chest  
2.two pockets with flap one the front legs  
3.one small pocket on left of legs  
4.two pockets on buttock  
5.two bib belts with wlastic and buttons

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL



FBO-BP2

Fabric: 1.65% polyester 35% cotton  
240g/m2 280g/m2  
2.100% cotton 180g/m2  
230g/m2 260g/m2

Design: 1.one pocket on chest  
2.two bolique pockets on both side  
3.one pocket on right back buttock  
4.one big tool pocket on right side leg  
5.one long elastic belt on back  
6.two bib belts with elastic and buttons

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

## Doctor's coat



FBO-E2 Doctor's coat

Fabric: 1.100% polyester 110g.m2 130g/m2  
2.65% polyester 35% cotton 190g/m2 240g/m2 280g/m2  
3.100% cotton 180g/m2 230g/m2 260g/m2

Design: 1.The front with button closure  
2.one patch pocket on the left chest  
3.two patch pockets at the bottom

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

packing:130g 18000pcs/20' 180g 14000pcs/20'

## FRC coverall



# COVERALL



FBO-T1 **T-shirt** w/o collar

Color: white/color

Material: Cotton (100% cotton)

140g/m<sup>2</sup> 160g/m<sup>2</sup> 180g/m<sup>2</sup> 200g/m<sup>2</sup>

80pcs 30x40x50cm 37600pcs/20'



FBO-T2 **T-shirt** with collar

Color: white/color

Material: Cotton (100% cotton)

160g/m<sup>2</sup> 180g/m<sup>2</sup> 200g/m<sup>2</sup> 220g/m<sup>2</sup>

Packing: 80pcs 30x40x50cm 37600pcs/20'



FBO-T3 **T-shirt** with collar

Color: white/color

Material: bird eyes mesh quick-drying

130g/m<sup>2</sup> 160g/m<sup>2</sup> 200g/m<sup>2</sup> 220g/m<sup>2</sup>

80pcs 30x40x50cm 37600pcs/20'



FBO-4052

Color: all color available

Material: 100% cotton 230g/m<sup>2</sup>

65/35 polycotton 240g/m<sup>2</sup>



FBO-4021

Color: All color available

Material: Canvas 200g/m<sup>2</sup>

250g/m<sup>2</sup>



FBO-E4

Color: all color available

Material: 65/35

polycotton 190g/m<sup>2</sup>

## Electric heating garment



FBO-EHG-01

Material: 100% cotton + heat tablets of bamboo fiber

**Used:** warming, resisting cold, health care, skin fomentation

**Configuration:** with 1 pc of vest, 3pcs of heat tablets, 1pc of intellectual lithium battery with a battery charger.

**Product Features:**

- a. The far infrared ray can keep body warming and healthy
- b. The speed of electric heating is fast
- c. You can control the body temperature by yourself, and the lithium battery can provide the power
- d. The guide line is hidden, and very convenient and safe
- e. The volume of lithium battery is very big, so it can keep warming very long time
- f. It is very easy to take off the heat tablets, and also very convenient to wash the garment
- g. Adjust with 4 buttons
- h. In charge: 3-4 hours charge: 5-7 hours, 500 times
- i. Temperature: 40-48°C

1pc/color box 20pcs 18/17kgs 56x35x48cm 6000pcs/20'

# COVERALL



FBO-1067

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

Fabric: 1.Nomex IIIA/Nomex comfort UL certified  
93% nomex 5% kevlar 2% P140 4.5OZ  
2.LFR 150g:patened modal based inherent  
flame resistant cellulose fiber  
3.Ploban 100% cotton 320g/m2

Design: 1.Two chest pockets with snap flap  
2.Functional velcro above two chest pockets  
3.Pen slot on the left arm  
4.Pocket with snap flap on the right leg  
5.Tool pocket on the left leg  
6.Fire retardant silver reflective tape on the  
shoulder arms and legs



FBO-1069

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

Fabric: 1.Nomex IIIA/Nomex comfort UL certified  
93% nomex 5% kevlar 2% P140 4.5OZ  
2.LFR 150g:patened modal based inherent  
flame resistant cellulose fiber  
3.Ploban 100% cotton 320g/m2

Design: 1.Two chest pockets with snap flap  
2.Functional velcro above two chest pockets  
3.Pen slot on the left arm  
4.Fire retardant silver reflective tape on the  
shoulder arms and legs



FBO-2067

Color: All color available

Size: S,M,L,XL,2XL,3XL,4XL,5XL

Fabric: 1.Nomex IIIA/Nomex comfort UL certified  
93% nomex 5% kevlar 2% P140 4.5OZ  
2.LFR 150g:patened modal based inherent  
flame resistant cellulose fiber  
3.Ploban 100% cotton 320g/m2

Design: 1.Two chest pockets with snap flap  
2.Functional velcro above two chest pockets  
3.Pen slot on the left arm  
4.Two pockets on the bottom  
5.waist band with elastic  
6.Cuff with snap for adjustment  
7.Fire retardant silver reflective tape on the shoulder and arms  
8.two lateral pockets  
9.Pocket with snap flap on the right leg  
10.Tool pocket on the left leg  
11.Fire retardant silver reflective tape on the legs



# COVERALL

## Structure

Cooling vest by the vest, energy-storage pouches, cool insulation bag and cool insulation board of four parts. The vest and energy-storage pouches split and easy to use and flexible.

## To deploy

vest×1, energy-storage pouches×4, cool insulation bag×4, cool insulation board×4.

## Usage

1. Put the energy-storage pouches inside the refrigerator freezed above 5 hours till freezing-- this is very important. Taking out and put in cool insulation bag(white,plastic bag).

2. Together with the cool insulation board insert vest pockets. The cool insulation board should be placed close to the side of the body, will not feel too cold.

## Notes

1. When the energy-storage pouches are not in use, put them into the refrigerators, preparing for future uses.
2. Don't prick or cut the pouches with pointed articles. When the pouches are broken or leaking, wash them with clear water.
3. The coolant is innocuous, harmless, environmental-friendly, but shall not be swallowed.



hard gel energy-storage pouches



Model:GB01  
Specification:Common popular type  
Weight:1.5KG  
Type of coolant:Water gel  
Authentication:RoHS



Model:GB06  
Specification:Refrigerator-free type  
Weight:1.5KG  
Type of coolant:Sorbet gel  
Authentication:RoHS



Model:GB11  
Specification:Water injection type  
Weight:0.7KG  
Type of coolant:PCM material  
Authentication:RoHS



Model:GB02  
Specification:Air permeable type  
Weight:1.5KG  
Type of coolant:hard gel  
Authentication:RoHS



Model:GB07  
Specification:Casting and smelting type  
Weight:1.7KG  
Type of coolant:hard gel  
Authentication:RoHS



Model:GB12  
Specification:Inflaming retarding type  
Weight:1.5KG  
Type of coolant:Water gel  
Authentication:RoHS



Model:GB03  
Specification:High-grade type  
Weight:1.5KG  
Type of coolant:hard gel  
Authentication:RoHS



Model:GB08  
Specification:Special protection suit  
Weight:2.4KG  
Type of coolant:hard gel  
Authentication:RoHS



Model:GB13  
Specification:Police type  
Weight:1.5KG  
Type of coolant:hard gel  
Authentication:RoHS



Model:GB04  
Specification:Portable type  
Weight:0.9KG  
Type of coolant:Efficient hard gel  
Authentication:RoHS



Model:GB09  
Specification:Glisten type  
Weight:1.5KG  
Type of coolant:hard gel  
Authentication:RoHS



Model:GB14  
Specification:ectrostatic prevention type  
Weight:1.5KG  
Type of coolant:hard gel  
Authentication:RoHS



Model:GB05  
Specification:Special purpose type for army and police  
Weight:1.5KG  
Type of coolant:hard gel  
Authentication:RoHS



Model:GB10  
Specification:Sop up the water type  
Weight:0.3KG  
Type of coolant:Polymer gel  
Authentication:RoHS



Model:GB15  
Specification: Quick freezing type  
Weight:1.5KG  
Type of coolant:Slush  
Authentication:RoHS

# FIRE FIGHTING

EN433 / EN166 / EN659 / EN420



FBO-MAHERO-08113 Fire fighting suit

Standard: EN469-2007;EN340:2004.  
 Color: Navy blue, Yellow, Khaki, Orange  
 Size: S, M, L, XL, XXL  
 Material description  
 Outer fabric: Nomex IIIA, 200g/m<sup>2</sup> twill weave.  
 Moisture barrier: 50% Nomex/50% FR viscose coated with PTFE membrane.  
 Thermal barrier: Carbon felt laminate with 50% Nomex/50% FR Viscose.  
 FR Reflective tape: 3M's 9587/8935  
 Sewing thread: Aramid (Nomex) thread  
 Anti-flame knitted wristband  
 Anti-flame Velcro fastener  
 Package: 5 sets/ctn



FBO-ALASKA HD03HR02 Fire fighting suit

Standard: EN469-1995;EN340:2003.  
 Color: Navy blue, Yellow, Khaki, Orange, Red  
 Size: S, M, L, XL, XXL  
 Material description  
 Outer fabric: Kanox-HM02RP  
 Moisture barrier: FR fabric coated with PTFE membrane.  
 Thermal barrier: Carbon felt laminate with 50% Nomex/50% FR Viscose.  
 FR Reflective tape: 3M's 9587 or equivalent  
 Sewing thread: Aramid (Nomex) thread  
 Anti-flame knitted wristband  
 Anti-flame Velcro fastener  
 Package: 5 sets/ctn



FBO-RFL-99 Fireproof and heat insulation garment

Standard: Q/02HDT003-1999  
 Size: S, M, L, XL,  
 Material: Flame-resistant aluminized fabric, thermal insulation and comfort liner,  
 Composition: Helmet (with gilded visor that slides inside helmet), coat and pants (or single fire suit), gloves and shoes-cover.  
 Performance: good performance for fire and heat penetration from radiant heat.  
 It can be worn in proximity to flame or high-temperature environment for a long time and short term protection from flame.  
 It shall be compatible with wearing with SCBA  
 Package: 1 sets/ctn

EN433 / EN166 / EN659 / EN420



**FBO-FH-LB** Standard:  
 Helmet: EN443: 1997.  
 Face-shield: EN166-2001, class 2 optical.  
 Face\_shield: made from high-impacc optical PC material  
 Size of helmet: 52cm to 63cm  
 Color: yellow, red  
 Net weight: 1.50kgs  
 Package: 1 pc/box 4pcs/ctn (57x35x50cm)



**FBO-F0420** Standard: EN659/EN420  
 Performance: leather 5 finger construction.  
 Flame-proof, water-proof, with breatherable,  
 thermal insulation, comfortable complete  
 with reflective tape on back of gloves  
 Length: 26cm to 31.5cm  
 Color: brown, yellow  
 Size: 6/SS, 7/S, 8/M, 9/L, 10/XL, 11/XXL  
 Package: 1 pair/bag 65pairs/ctn (60x40x43cm)



**FBO-9687L** Standard: EN-345-2:1996  
 Performance: Flame-resistant,  
 Water-proof,  
 heat and oil resistant,  
 Anti-slip,  
 abrasion resistant,  
 thermal insulation,  
 comfortable  
 Net weight: 3.5kgs  
 Package: 6 pairs/ctn



**FBO-FH04** Standard: En13911  
 Material: 50% Aramid (NOMEX) 50% FR VISCOSE  
 Performance: Flame-resistant, abrasion resistant,  
 thermal insulation, comfortable.  
 Size: Universal  
 Available color: light brown  
 Net Weight: approximately 120grms  
 Package: 1pcs/bag 150pcs/ctn



**FBO-XU108**  
 1mx1m, 1.2mx1.2m, 1.5mx1.5m  
 1.2mx1.8m, 1.8mx1.8m



**FBO-XU109**



**FBO-CV2**  
 material: canvas  
 color: red  
 size: 6kg/8kg

# FIRST AID KIT



FBO-LF02

FDA CE

adhesive bandage:1.9x7cm	10pcs
alcohol prep pad: 6.5x3cm	4pcs
antiseptic swab: 6.5x3cm	4pcs
sterile gauze pad: non-woven,2"x2"	3pcs
gauze bandage: 5cmx2.5m	5rolls
small scissors: 9.5cm length	1pc
cotton-bugs:8.0cm length	10pcs
disposable gloves:PVC Lsize	2pcs
adhesive tape:non-woven,1.25cmx5m	1roll

total: **40pcs/set**

Packing: 1pc logo printing on one position of 600D nylon bag

bag size:18.5cm x 13cm x 4cm

48set 8/7kgs 43x36x32cm 27360set/20'



FBO-LF10

FDA CE

adhesive bandage:1.9x7cm	10pcs
sterile wound pad:non-woven, 5x5cm	4pcs
vinyl glove:L size	1pc
cotton tipped applicator:8cm	10cm
cotton bandage:2"x5yards	1roll
adhesive tape:1/2"x5yards	1roll
safety pin:	4pcs
tweezers:7.5cm	1pc
scissors:9.5cm	1pc

total: **33pcs/set**

Packing: 1pc logo printing on one position of 420D nylon or canvas bag

bag size: 17.5cm x 13.5cm x 3cm

60set 16/15kgs 37x43x34cm 31200set/20'



FBO-LF13

FDA CE

triangular bandage:non-woven, 36"x51"x36"	1pc
elastic bandage:2"x4.5m	1pc
paper adhesive tape:1/2"x5yards	1pc
safety pin:#1	4pcs
scissors:9.5cm	1pc
disposable gloves:PVC L size	2pcs
adhesive bandage:1.9x7.2cm	5pcs
mouth-to-mouth mask:20cm x 20cm	1pc
large size adhesive bandage:10x6cm	1pc
antiseptic swabs:3x6cm, unfolded	1pc
alcohol prep swabs:3x6cm, unfolded	1pc
Gauze pad:non-woven, 2"x2"	1pc
first aid notes:	1pc

total: **21pcs/set**

Packing: 1pc logo printing on one position of 70D nylon bag

bag size:13cm x 8cm x 5cm

160set 16/15kgs 54x42x36cm 56000set/20'



FBO-LF03 family

FDA CE

adhesive bandage:1.9x7cm	8pcs
alcohol prep pad: 3x6cm, unfolded	4pcs
zinc oxide adhesive plaster:1.25cmx 5m	1roll
gauze pad:7.5cmx7.5cm	5pcs
disposable gloves:PVC, L size	2pcs
bandage:5cm x 2.5m	5rolls
bandage:7.5cm x 2.5m	5rolls
triangular bandage:96cm x 96cm x 135cm	1pc
stretch bandage:7.5cm x 4m	1pc
plastic tweezers: 12.5cm	1pc
bandage scissors: 13.5cm	1pc

total: **34pcs/set**

Packing: 1pc logo printing on one position of 600D nylon bag

bag size:18cm x 13cm x 5cm

40set 13/12kgs 54x38x36cm 15200set/20'

# FIRST AID KIT



FBO-LF31 car FDA CE

first aid guide:a leaf	1pc
adhesive tape:1/2"x5yards	1roll
adhesive bandage strip:1.9x7.2cm	10pcs
adhesive bandage dressing:6x10cm	2rolls
gauze pad:3"x3", 5pcs/pkt	1pc
gauze pad:4"x4", 2pcs/pkt	2pcs
PVC gloves:L size	2pairs
cotton tipped:20pcs/pkt	20pcs
sterile absorbent cotton:10g	1bag
alcohol prep pad:3x3cm, 2ply	10pcs
sterile eye pack:6x8cm	1pc
safety pin:	2pcs
bandage scissors:13.5cm	1pc
elastic bandage:2"x5yards	1pc
elastic bandage:3"x5yards	1pc
plastic tweezers:12.5cm	1pc
triangular bandage:36"x54"x36"	1pc
emergency blanket:130x210cm, silver	1pc
mouth to mouth breath mask: 20x20cm, with one-way valve	1pc
disposable instant cold pack:100g	1pc
<b>total: 61pcs/set</b>	
Packing: 1pc logo printing on one position of 420D nylon bag	
bag size: 26.5cm x 18cm x 7cm	
30set 23/21kgs 67x40x35cm 9000sets/20'	



FBO-LF11 Middle East car FDA CE

adhesive bamage:19mm x 72mm	20pcs
adhesive tape:1"x5yards	1pc
elastic bandage:5cm x 4.5m, stretched	1pc
eye pad:8cmx6cm	1pc
alcohol prep pad:	8pcs
antiseptic prep pad:	4rolls
tweezer:12.5cm length	1pc
booklet:	1pc
cotton wool:10gram	1pc
gauzeswab:4"x4"	2pcs
gauze bandage:5cmx5m	1roll
triangular bandage:96cm x 96cm x 135cm	1pc
scossor:	1pc
<b>total: 43pcs/set</b>	
Packing: 1pc logo printing on one position of box	
box size: 22cm x 14cm x 5.5cm	
40set 15/14kgs 42x42x41cm 15400set/20'	